

# Enquête québécoise sur le cannabis 2023

Questionnaire anglais

Mars 2023



Document réalisé à l'Institut de la statistique du Québec.

Avec la collaboration du ministère de la Santé et des Services sociaux, de l'Institut national de santé publique du Québec, de l'université d'Ottawa et du Centre de recherche du CHUM

Pour tout renseignement concernant  
le contenu de cette publication :

Direction des enquêtes de santé  
Institut de la statistique du Québec  
1200, avenue McGill College, bureau 500  
Montréal (Québec) H3B 4J8  
Téléphone :  
514 873-4749  
1 800 463-4090 (Canada et États-Unis)  
Site Web : [statistique.quebec.ca](http://statistique.quebec.ca)

Ce document est disponible seulement en version électronique.

Note : Toute utilisation des questions autre qu'à des fins de consultation personnelle est interdite sans l'autorisation des auteurs cités dans les sources. Chaque utilisateur est responsable de demander les droits d'utilisation, le cas échéant.

#### **Notice bibliographique suggérée**

INSTITUT DE LA STATISTIQUE DU QUÉBEC (2024). *Enquête québécoise sur le cannabis 2023. Questionnaire anglais*, [En ligne], Québec, L'Institut, 30 p, [[statistique.quebec.ca/fr/document/enquete-quebecoise-sur-le-cannabis-2023](http://statistique.quebec.ca/fr/document/enquete-quebecoise-sur-le-cannabis-2023)].

© Gouvernement du Québec, Institut de la statistique du Québec, 2024

Toute reproduction du présent document autre qu'à des fins de consultation personnelle est interdite sans l'autorisation du gouvernement du Québec.

[statistique.quebec.ca/fr/institut/nous-joindre/droits-auteur-permission-reproduction](http://statistique.quebec.ca/fr/institut/nous-joindre/droits-auteur-permission-reproduction)

Avril 2024

In accordance with the ISQ's new social statistics practices, gender was measured in the introduction of this survey. For more information about this measure, please refer to: BOUCHER, M. (2023). *Enquête québécoise sur le cannabis 2022. Méthodologie de l'enquête*, Québec, Institut de la statistique du Québec and INSTITUT DE LA STATISTIQUE DU QUÉBEC (2021). *Guide pour la prise en compte du genre dans les statistiques : recommandations du comité sur l'identité de genre*, Québec, L'Institut, 44 p.

**Preamble 1** In this study when we use the term cannabis, this includes **marijuana** (pot, weed), **hashish** (hash), **liquid extracts or concentrates** (cannabis oil), **solid extracts or concentrates** (shatter, budder, wax) or any other products made from the cannabis plant, but not synthetic cannabinoids (Spice, K2, Yucatan Fire, etc.) ①.

INSTRUCTION CATI / ① CAWI: Synthetic cannabinoids are manufactured in laboratories and are often sprayed onto dried plant material, mimicking certain effects of cannabis.

When we ask about cannabis use, this includes smoking it, vaping it, eating it in an edible product, or consuming it in any other way, whether for medical or non-medical purposes.  
Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, MainInfo. Adapté par l'ISQ.

## Section 1 – Perceptions and attitudes towards cannabis

**Preamble 2** Let's start with some questions you must answer based on **your personal opinion**.

**(RECOM)** Based on what you know or believe...

|            |   | Yes | No | Don't know | Refuse to answer |
|------------|---|-----|----|------------|------------------|
| RECOM_FUM  | can cannabis smoke be harmful for the person who smokes?  | 1   | 2  | 8          | 9                |
| RECOM_DEP  | can cannabis use be addictive for some people?  | 1   | 2  | 8          | 9                |
| RECOM_FREQ | does using cannabis daily or almost daily increase the risk of health problems?   | 1   | 2  | 8          | 9                |
| RECOM_COND | is it dangerous to drive a vehicle or operate machinery under the influence of cannabis?  | 1   | 2  | 8          | 9                |
| RECOM_ADO  | are teenagers at greater risk than adults of experiencing negative consequences from their cannabis use?  | 1   | 2  | 8          | 9                |
| RECOM_GROS | is it harmful to use cannabis when pregnant or breastfeeding?   | 1   | 2  | 8          | 9                |
| RECOM_THC  | can high-THC (the component of cannabis that causes psychoactive effects, i.e., a high) cannabis products lead to more negative effects on health, either physical or mental? | 1   | 2  | 8          | 9                |

|            |   | Yes | No | Don't know | Refuse to answer |
|------------|---|-----|----|------------|------------------|
| RECOM_COMB | does consuming cannabis in combination with other psychoactive substances (alcohol, tobacco, drugs, etc.) increase health risks?  | 1   | 2  | 8          | 9                |
| RECOM_ATCD | should people with a personal or family history of mental health problems (psychosis, depression, etc.) or substance addiction adjust their cannabis use or avoid using it? | 1   | 2  | 8          | 9                |

Sources : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2021, question Q9, Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, questions HEALTH.BELIEF et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2023. Adaptées par l'ISQ

**VAPE\_RISQUE** In your opinion, how much do people risk harming themselves when they **vape** cannabis (e.g. with an e-cigarette, a wax pen)?

**INSTRUCTION CATI:** Read all the response choices.

- 1 No risk
- 2 Slight risk
- 3 Moderate risk
- 4 Great risk
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2021, question Q3. Adaptée par l'ISQ.

Ne pas diffuser

## Section 2 – Cannabis use

**Preamble 3** Remember that when we ask about cannabis use, we are referring to its use in any manner, for medical or non-medical purposes.

**CONSO\_VIE** During your lifetime, have you ever used cannabis?

- 1 Yes
- 2 No → [Preamble 6](#)
- 8 Don't know → [Preamble 6](#)
- 9 Refuse to answer → [Preamble 6](#)

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q11a. Adaptée par l'ISQ.

**AGE\_INI\_CONT** How old were you when you first used cannabis?

- Enter age [Min = 8 ; Max = âge au moment de l'enquête] → [CONSO\\_CAN](#)
- 998 Don't know
  - 999 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q15. Adaptée par l'ISQ.

[\[Message de validation de AGE\\_INI\\_CONT vs. âge à l'enquête\]](#)

**AGE\_INIT\_C** Could you indicate which age category you were in when you first used cannabis?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Under 12 years
- 02 12 to 15 years
- 03 16 to 17 years
- 04 18 to 20 years
- 05 21 to 24 years
- 06 25 to 29 years
- 07 30 to 34 years
- 08 35 years or over
- 98 Don't know
- 99 Refuse to answer

[\[Affichage conditionnel à l'âge à l'enquête\]](#)

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2021, question Q9b.

**CONSO\_CAN** In the past 12 months, have you used cannabis?

- 1 Yes
- 2 No → [ASSIST\\_INQ](#)
- 8 Don't know → [ASSIST\\_INQ](#)
- 9 Refuse to answer → [ASSIST\\_INQ](#)

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q16. Adaptée par l'ISQ.

**FREQ\_CONSO** In the **past 12 months**, how often did you use cannabis?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis (ECC)*, 2017, question Q17. Adaptée par l'ISQ.

**(M\_CONSO)** In the **past 12 months**, did you use the following methods to consume cannabis (the method is the way the cannabis is consumed)?

|                 |   | Yes | No | Don't know | Refuse to answer |
|-----------------|---|-----|----|------------|------------------|
| <b>M_FUME</b>   | You smoked it in a joint, bong, pipe or blunt                               | 1   | 2  | 8          | 9                |
| <b>M_DABB</b>   | You dabbled it, including with a hot knife, needle or nail                  | 1   | 2  | 8          | 9                |
| <b>M_VAPOT</b>  | You vaped it (e.g. with an e-cigarette, a wax pen)                          | 1   | 2  | 8          | 9                |
| <b>M_VAPOR</b>  | You vaporized it (e.g. with a stationary vaporizer or a portable vaporizer) | 1   | 2  | 8          | 9                |
| <b>M_MANGE</b>  | You ate it in food (e.g. brownies, cakes, cookies, candy)                   | 1   | 2  | 8          | 9                |
| <b>M_BU</b>     | You drank it (tea, soda, alcohol or other drinks)                           | 1   | 2  | 8          | 9                |
| <b>M_PILULE</b> | You ingested it in a pill, softgel or capsule                               | 1   | 2  | 8          | 9                |
| <b>M_GOUTTE</b> | You consumed it as oral drops or with an oral spray                         | 1   | 2  | 8          | 9                |

Sources : Santé Canada, *Enquête canadienne sur le cannabis (ECC)*, 2017, question Q23, et *Enquête canadienne sur le tabac, l'alcool et les drogues (ECTAD)*, 2017, question CAN\_Q032. Adaptées par l'ISQ.

**M\_AUTRE** In the **past 12 months**, did you use any other method than those previously mentioned to consume cannabis (the method is the way the cannabis is consumed)?

- 1 Yes, please specify
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis (ECC)*, 2017, question Q23. Adaptée par l'ISQ.

**Filtre 1.**

Si M\_FUME = 1 → **FREQ\_M\_FUME**

Sinon → Filtre 2

**FREQ\_M\_FUME** In the **past 12 months**, how often did you smoke cannabis in a joint, bong, pipe or blunt?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis (ECC)*, 2017, question Q24b. Adaptée par l'ISQ.

**Filtre 2.**

Si M\_DABB = 1 → **FREQ\_M\_DABB**

Sinon → Filtre 3

**FREQ\_M\_DABB** In the **past 12 months**, how often did you inhale cannabis by dabbing, including with a hot knife, needle or nail?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis (ECC)*, 2017, question Q24b. Adaptée par l'ISQ.

**Filtre 3.**

Si M\_VAPOT = 1 → **VAPE\_AGE**

Sinon → Filtre 4

**VAPE\_AGE** You indicated that you have vaped cannabis. How old were you when you first vaped cannabis?

Enter age [Min = 8 ; Max = âge au moment de l'enquête]

998 Don't know

999 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q15. Adaptée par l'ISQ.

[Message de validation de VAPE\_AGE vs. âge à l'enquête]

**FREQ\_M\_VAPOT** In the **past 12 months**, how often did you vape cannabis (e.g. with an e-cigarette, a wax pen)?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

**(VAPE\_SOURCE)** In the **past 12 months**, where did you get the cannabis products you vaped?

|                     |  | Yes | No | Don't know | Refuse to answer |
|---------------------|--|-----|----|------------|------------------|
| <b>VAPE_SOURCE1</b> | From a third party such as a family member, friend or acquaintance   | 1   | 2  | 8          | 9                |
| <b>VAPE_SOURCE2</b> | In person, from an official retailer in a province other than Québec | 1   | 2  | 8          | 9                |
| <b>VAPE_SOURCE3</b> | From an illegal supplier, in person                                  | 1   | 2  | 8          | 9                |
| <b>VAPE_SOURCE4</b> | From an online (Internet) source                                     | 1   | 2  | 8          | 9                |
| <b>VAPE_SOURCE5</b> | Other, please specify: (VAPE_AUTRE)                                  | 1   | 2  | 8          | 9                |

Sources : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question LIQUIDVAPE.SOURCE1 et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2023. Adaptées par l'ISQ



**VAPE\_THC** Do you know the amount of THC in the cannabis product you mainly **vaped** in the **past 12 months**?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question LIQUIDVAPE.THCH1. Adaptée par l'ISQ

**VAPE\_CONT** In the **past 12 months**, what type of cannabis product did you mainly **vape**?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Product(s) containing solely THC
- 2 Product(s) containing more THC than CBD
- 3 Product(s) containing as much THC as CBD
- 4 Product(s) containing more CBD than THC
- 5 Product(s) containing solely CBD
- 6 **You don't know [CATI] / I don't know [CAWI]**
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q16.

#### Filtre 4.

Si M\_VAPOR = 1 → **FREQ\_M\_VAPOR**

Sinon → Filtre 5

**FREQ\_M\_VAPOR** In the **past 12 months**, how often did you inhale cannabis after vaporization (e.g. with a stationary vaporizer or a portable vaporizer)?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

#### Filtre 5.

Si M\_MANGE = 1 → **FREQ\_M\_MANGE**

Sinon → Filtre 6

**FREQ\_M\_MANGE** In the **past 12 months**, how often did you eat cannabis edibles (e.g. brownies, cakes, cookies, candy)?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

**Filtre 6.**

Si M\_BU\_ = 1 → FREQ\_M\_BU

Sinon → Filtre 7

**FREQ\_M\_BU** In the **past 12 months**, how often did you drink cannabis products (tea, soda, alcohol or other drinks)?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

**Filtre 7.**

Si M\_PILULE = 1 → FREQ\_M\_PILUL

Sinon → Filtre 8

**FREQ\_M\_PILUL** In the **past 12 months**, how often did you ingest cannabis in a pill, softgel or capsule?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

**Filtre 8.**

Si M\_GOUTTE = 1 → FREQ\_M\_GOUTT

Sinon → CONT\_CAN

**FREQ\_M\_GOUTT** In the **past 12 months**, how often did you consume cannabis as oral drops or with an oral spray?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

**Preamble 4** The next questions are about the cannabis you used, in general, in the **past 12 months**.

**CAN\_CONT** In the **past 12 months**, what did you mainly use...?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Product(s) containing solely THC
- 2 Product(s) containing more THC than CBD
- 3 Product(s) containing as much THC as CBD
- 4 Product(s) containing more CBD than THC
- 5 Product(s) containing solely CBD
- 6 **You don't know [CATI] / I don't know [CAWI]**
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q16.

**SOURCE** In the **past 12 months**, where did you get the cannabis you used?

**INSTRUCTION CATI:** Read the response choices and suggest a yes or no answer. Check all that apply.

**INSTRUCTION CAWI:** Check all that apply.

- 01 It was grown by you or for you [CATI] / by me or for me [CAWI]
- 02 From a third party such as a family member, friend or acquaintance
- 03 At the Société québécoise du cannabis (SQDC), online or in store
- 04 In person, from an official retailer in a province other than Québec
- 05 From a Health Canada licensed producer\*
- 06 From a dispensary or compassion club
- 07 From an illegal supplier (dealer or black market, online or in person)
- 08 Other, please specify
- 98 Don't know
- 99 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question M11a. Adaptée par l'ISQ.

\* Message validation CATI : The choice "Health Canada licensed producer" does not include SQDC. Were you thinking of SQDC when you selected this answer? (If yes:) Then may I change your answer to choice 3 "SQDC"?

\*Message validation CAWI : The choice "Health Canada licensed producer" does **not** include SQDC. If you wanted to answer SQDC, check the third response choice

**SOURCE\_INTER** In the **past 12 months**, how often have you obtained cannabis from an online (Internet) source other than a Health Canada licensed producer or the SQDC?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Always
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017 Q30. Question adaptée par l'ISQ.

#### Filtre 9.

Si âge au moment de l'enquête  $\geq 21$  ou âge manquant  $\rightarrow$  PART\_SQDC

Sinon Filtre 10

**PART\_SQDC** In the **past 12 months**, what percentage of the cannabis you **purchased** came from the SQDC?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 0%
- 2 1% to 24%
- 3 25% to 49%
- 4 50% to 74%
- 5 75% to 99%
- 6 100%
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q18. Adaptée par l'ISQ.

#### Filtre 10.

Si âge au moment de l'enquête  $\geq 21$  ou âge manquant **ET** ssi SOURCEM1 = 7 ou SOURCEM2 = 7 ou SOURCEM3 = 7 ou SOURCEM4 = 7 ou SOURCEM5 = 7 ou SOURCEM6 = 7 ou SOURCEM7 = 7 ou SOURCEM8 = 7  $\rightarrow$  ILLEGAL\_RAISON

Si âge au moment de l'enquête  $< 21$  **ET** si SOURCEM1 = 7 ou SOURCEM2 = 7 ou SOURCEM3 = 7 ou SOURCEM4 = 7 ou SOURCEM5 = 7 ou SOURCEM6 = 7 ou SOURCEM7 = 7 ou SOURCEM8 = 7  $\rightarrow$  ILLEGAL\_FORM

Si source  $\neq 7 \rightarrow$  RAISON\_CONSO

**(ILLEGAL\_RAISON)** In the **past 12 months**, what are the main reasons you **bought** cannabis from an illegal supplier (dealer or black market, online or in person) instead of a legal source?

|                     |   | Yes | No | Don't know | Refuse to answer |
|---------------------|---|-----|----|------------|------------------|
| <b>ILLEGAL_PROD</b> | Legal sources don't sell the products you want [CATI] / Legal sources don't sell the products I want [CAWI]   | 1   | 2  | 8          | 9                |
| <b>ILLEGAL_QUAL</b> | Legal sources have lower-quality cannabis   | 1   | 2  | 8          | 9                |
| <b>ILLEGAL_COUT</b> | Legal sources have higher prices  | 1   | 2  | 8          | 9                |
| <b>ILLEGAL_ANO</b>  | To stay anonymous   | 1   | 2  | 8          | 9                |
| <b>ILLEGAL_ACCE</b> | There is no legal store close to where you live [CATI] / There is no legal store close to where I live [CAWI] | 1   | 2  | 8          | 9                |
| <b>ILLEGAL_FIDE</b> | Loyalty to my illegal supplier  | 1   | 2  | 8          | 9                |
| <b>ILLEGAL_CRED</b> | Legal online sources require a credit card  | 1   | 2  | 8          | 9                |
| <b>ILLEGAL_LIVR</b> | Legal delivery is too slow  | 1   | 2  | 8          | 9                |
| <b>ILLEGAL_AUTR</b> | Other, please specify: (ILLEGALAUTRE)   | 1   | 2  | 8          | 9                |

Source : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question CANNABIS.ILLEGAL. Adaptée par l'ISQ

**ILLEGAL\_FORM** When you last purchased cannabis **from an illegal supplier** (dealer or black market, online or in person), what form of cannabis did you **mainly** buy? Include only the last **purchase**. Do not include gifts or barter.

**INSTRUCTION CATI:** Read all the response choices.

- 1 Dried flowers or leaves, buds
- 2 Hashish or kief
- 3 Liquid extract or concentrate (e.g. cannabis or hash oil or extract such as rosin or distillate, oil cartridges, disposable vape pens or wax pen)
- 4 Solid extract or concentrate excluding hashish (e.g. dabs, shatter, budder, wax)
- 5 Food products
- 6 Beverages
- 7 Other
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q20.

**Filtre 11.**

Si **ILLEGAL\_FORME** = 1 → **ILLEGAL\_PRIX**

Sinon → **RAISON\_CONSO**

**ILLEGAL\_PRIX** How much (\$) did you pay for that purchase of dried flowers, leaves, or buds?

**INSTRUCTION CATI:** Please use a period (.) rather than a comma (,) as a decimal separator.

Enter amount (\$) [Min = 1 ; Max = 99 997]

99998 Don't know

99999 Refuse to answer

Source : *Approche participative pour le prix du cannabis*, 2018, question 1. Adaptée par l'ISQ.

**ILLEGAL\_POID** What quantity of this product, in **grams**, did you get for that amount?

**INSTRUCTION CATI:** Please use a period (.) rather than a comma (,) as a decimal separator.

**INSTRUCTION CATI AND CAWI:** Do not enter a fraction:  $\frac{1}{4}$  g = 0.25

$\frac{1}{2}$  g = 0.5

$\frac{3}{4}$  g = 0.75

If you know the quantity purchased in ounces (oz.), please use the following equivalences, and answer in

grams:  $\frac{1}{8}$  oz. = 3.5 g

$\frac{1}{4}$  oz. = 7 g

$\frac{1}{2}$  oz. = 14 g

1 oz. = 28 g

Enter quantity [Min = 1 ; Max = 99 997]

99998 Don't know

99999 Refuse to answer

Source : *Approche participative pour le prix du cannabis*, 2018, question 1. Adaptée par l'ISQ.

(RAISON\_CONSO) For what reason(s) did you use cannabis in the **past 12 months**?

|              |  | Yes | No | Don't know | Refuse to answer |
|--------------|--|-----|----|------------|------------------|
| RAISON_SANTE | To treat a health problem or relieve symptoms            | 1   | 2  | 8          | 9                |
| RAISON_RELAX | To relax or relieve tension                              | 1   | 2  | 8          | 9                |
| RAISON_EXPER | To experiment or to see what it is like                  | 1   | 2  | 8          | 9                |
| RAISON_BUZZ  | To feel buzzed or get high                               | 1   | 2  | 8          | 9                |
| RAISON_SOMME | To help you with your sleep                              | 1   | 2  | 8          | 9                |
| RAISON_EMOTI | To help you with your feelings or emotions               | 1   | 2  | 8          | 9                |
| RAISON_DROGU | To increase or decrease the effect(s) of some other drug | 1   | 2  | 8          | 9                |
| RAISON_DEP   | Because you are hooked or must have it                   | 1   | 2  | 8          | 9                |
| RAISON_PLAIS | For fun  | 1   | 2  | 8          | 9                |
| RAISON_SOCIO | To have a good time with friends, to socialize           | 1   | 2  | 8          | 9                |

Source : Center for Behavioral Health Statistics and Quality. *National Survey on Drug Use and Health* (NSDUH), 2015, question PRYMOTIV. Adaptée par l'ISQ.

RAISON\_AUTRE In the **past 12 months**, did you use cannabis for any other reason than those previously mentioned?

- 1 Yes, please specify
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Center for Behavioral Health Statistics and Quality. *National Survey on Drug Use and Health* (NSDUH), 2015, question PRYMOTIV. Adaptée par l'ISQ.

RAISON\_PRINC What is the **main** reason you've used cannabis in the **past 12 months**?

**INSTRUCTION CATI:** Read all the response choices.

- 1 For medical use
- 2 For non-medical use
- 3 For both medical use and non-medical use
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête nationale sur le cannabis* (ENC), 2020, question CAN\_Q17. Adaptée par l'ISQ.

**DOCU\_MED** In the **past 12 months**, did you have a medical document from a doctor authorizing you to use cannabis?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question M1a. Adaptée par l'ISQ.

#### Filtre 12.

Si RAISON\_SANTE = 1 OU RAISON\_PRINC = 1,3 → PB\_SANTE

Sinon → CONDUI\_INF

**PB\_SANTE** For what health problem(s) or symptom(s) did you use cannabis in the **past 12 months**?

**INSTRUCTION CATI:** Read the response choices and suggest a yes or no answer. Check all that apply.

**INSTRUCTION CAWI:** Check all that apply.

- 01 Chronic pain (arthritis, back pain or migraine)
- 02 Nausea or vomiting
- 03 Lack of appetite or weight loss
- 04 Depression
- 05 Multiple sclerosis, amyotrophic lateral sclerosis, spinal cord injury
- 06 Epilepsy
- 07 Anxiety or nerves
- 08 Glaucoma
- 09 Sleep disorders
- 10 Post-traumatic stress syndrome
- 11 Drug addiction or withdrawal from another substance
- 12 Other, please specify
- 98 Don't know
- 99 Refuse to answer

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues*, 2017 (ECTAD), question CAN\_Q066. Adaptée par l'ISQ.

**CONDUI\_INF** In the **past 12 months**, how many times have you driven a motor vehicle (e.g. car, motorcycle, snowmobile, motor boat or all-terrain vehicle (ATV)) under the influence of cannabis?

**INSTRUCTION CATI:** Read all the response choices

- 1 Never
- 2 Less than once a month
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 6 Not applicable, you do not drive [CATI] / Not applicable, does not drive [CAWI]
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q53a. Adaptée par l'ISQ.



**CONSO\_JOUR** In the **past 12 months**, how often did you use cannabis just before your work or study day or while working or studying (in person or remotely)?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Never
- 2 Sometimes
- 3 Often
- 4 Always or almost always
- 5 **Not applicable, you did not work or you did not study [CATI] / Not applicable, did not work or did not study [CAWI]**
- 8 Don't know
- 9 Refuse to answer

Source : Inspirée de Hammond, D., et autres. *International Cannabis Policy Study (ICPS)*, 2018, questions USE.CURRENTWORK et USE.SCHOOL.

Ne pas diffuser

## Section 3 – Effects of cannabis use

**Preamble 5** The next questions are about your cannabis use in the **past 3 months**.

**CONSO\_CAN3** During the **past 3 months (90 days)** how often did you use cannabis?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Never → ASSIST\_INQ
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

**ASSIST\_DESIR** During the **past 3 months**, how often have you had a strong desire or urge to use cannabis?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

**ASSIST\_PB** During the **past 3 months**, how often has your use of cannabis led to health, social, legal or financial problems?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

**ASSIST\_INCAP** During the **past 3 months**, how often have you failed to do what was normally expected of you because of your use of cannabis?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

**ASSIST\_INQ** During your lifetime, has a friend or relative or anyone else ever expressed concern about your use of cannabis?

**INSTRUCTION CATI:** Read all the response choices.

- 1 No, never
- 2 Yes, but not in the **past 3 months**
- 3 Yes, in the **past 3 months**
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

**ASSIST\_CTRL** During your lifetime, have you ever tried, and failed, to control, cut down or stop using cannabis?

**INSTRUCTION CATI:** Read all the response choices.

- 1 No, never
- 2 Yes, but not in the **past 3 months**
- 3 Yes, in the **past 3 months**
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

**AIDE\_BESOIN** During your lifetime, have you ever felt that you needed professional help (such as treatment or counselling) for your cannabis use?

**INSTRUCTION CATI:** Read all the response choices.

- 1 No, never
- 2 Yes, but not in the **past 12 months**
- 3 Yes, in the **past 12 months**
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis (ECC), 2021*, question Q70. Adaptée par l'ISQ.

**AIDE\_RECUE** Have you ever received professional help (such as treatment or counselling) for your cannabis use?

**INSTRUCTION CATI:** Read all the response choices.

- 1 No, never
- 2 Yes, but not in the **past 12 months**
- 3 Yes, in the **past 12 months**
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis (ECC)*, 2021, question Q71. Adaptée par l'ISQ.

Ne pas diffuser

## Section 4 – Use of substances other than cannabis

**Preamble 6** The next questions are about your use of substances other than cannabis.

**CONSO\_OH** In the **past 12 months**, how often did you drink alcoholic beverages?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Never
- 02 Less than once a month
- 03 Once a month
- 04 2 to 3 times a month
- 05 Once a week
- 06 2 to 3 times a week
- 07 4 to 6 times a week
- 08 Everyday
- 98 Don't know
- 99 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question ALC\_Q015.

### Filtre 13.

Si CONSO\_CAN = 1 ET CONSO\_OH = 2, 3, 4, 5, 6, 7, 8 → COMB\_OH

Si CONSO\_CAN = 1 ET CONSO\_OH = 1, 98, 99 → COMB\_TABAC

Sinon → SANTE (dénominateur = tous les répondants)

**(CONSO\_COMB)** In the **past 12 months**, how often did you use the following substances in combination with cannabis (that is, at the same time as cannabis)?

**INSTRUCTION CATI:** Read all the response choices. Based on previous editions, it can be useful to repeat “in combination with cannabis” after naming the substance in question.

|                   |  | Never | Rarely | Sometimes | Often | Always | Don't know | Refuse to answer |
|-------------------|--|-------|--------|-----------|-------|--------|------------|------------------|
| <b>COMB_OH</b>    | Alcohol  | 1     | 2      | 3         | 4     | 5      | 8          | 9                |
| <b>COMB_TABAC</b> | Tobacco or nicotine in all forms (smoked or in an e-cigarette, mixed with cannabis or not) | 1     | 2      | 3         | 4     | 5      | 8          | 9                |
| <b>COMB_OPIO</b>  | Opiates or opioids (prescribed or not) (e.g. oxycodone,                                    | 1     | 2      | 3         | 4     | 5      | 8          | 9                |

|             |  | Never | Rarely | Sometimes | Often | Always | Don't know | Refuse to answer |
|-------------|--|-------|--------|-----------|-------|--------|------------|------------------|
|             | Dilaudid®, morphine, Demerol, Fentanyl, drugs containing codeine)  |       |        |           |       |        |            |                  |
| COMB_STIMUL | Stimulants (prescribed or not) (e.g. Ritalin®, Concerta®, Adderall®, Dexedrine®, Vyvanse®)   | 1     | 2      | 3         | 4     | 5      | 8          | 9                |
| COMB_SEDA   | Sedatives or tranquilizers (prescribed or not) (e.g. "Benzos" such as diazepam, lorazepam, Valium®, Ativan®, alprazolam, Xanax, clonazepam, Rivotril®) | 1     | 2      | 3         | 4     | 5      | 8          | 9                |
| COMB_DROGUE | Other illegal drug or substance  | 1     | 2      | 3         | 4     | 5      | 8          | 9                |

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q50. Adaptée par l'ISQ.

## Section 5 – General and mental health

**Preamble 7** The next questions are about various aspects of your physical, mental and social health. They are asked of all participants, regardless of the answers provided up to this point.

**SANTE** In general, would you say your health is...?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN\_Q005.

**SATISF\_VIE** How do you feel about your life as a whole right now using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied"?

- 00 Very dissatisfied
- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08
- 09
- 10 Very satisfied
- 98 Don't know
- 99 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN\_Q010. Adaptée par l'ISQ.

**S\_MENTAL** In general, would you say your mental health is...?

**INSTRUCTION CATI:** Read all the response choices.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN\_Q015.

Let us now talk about the **past month**.

**KESSLER\_1** During the **past month**, about how often did you feel nervous?

**INSTRUCTION CATI:** [Read all the response choices.](#)

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

**KESSLER\_2** During the **past month**, about how often did you feel hopeless?

**INSTRUCTION CATI:** [Read all the response choices.](#)

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

**KESSLER\_3** During the **past month**, about how often did you feel restless or fidgety?

**INSTRUCTION CATI:** [Read all the response choices.](#)

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

**KESSLER\_4** During the **past month**, about how often did you feel so depressed that nothing could cheer you up?

**INSTRUCTION CATI:** [Read all the response choices.](#)

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).



**KESSLER\_5** During the **past month**, about how often did you feel that everything was an effort (so tired that everything was an effort)?

**INSTRUCTION CATI:** Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

**KESSLER\_6** During the **past month**, about how often did you feel worthless?

**INSTRUCTION CATI:** Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

**Message de fin de section CATI :**

(This information is provided to everybody). We are aware that our questionnaire deals with topics that can be difficult for some people. If you need help, you can call 811, the Info-Santé / Info-Social number. This service is free and is available from anywhere in Québec, 24/7. You can also visit [quebec.ca/allermieux](http://quebec.ca/allermieux).

**INSTRUCTION:** 811 isn't just a service that allows you to speak with a nurse. You can also get a referral to organizations in your region for the social problem you would like to get help for.

**Message de fin de section CAWI :**

This questionnaire deals with topics that could be difficult for some people. If you need help, you can call 811, the Info-Santé / Info-Social number ☎. This service is free and is available from anywhere in Québec, 24/7. You can also visit [quebec.ca/allermieux](http://quebec.ca/allermieux)

☎ CAWI: 811 isn't just a service that allows you to speak with a nurse. You can also get a referral to organizations in your region for the social problem you would like to get help for. Please note that information is provided to everybody.

## Section 6 – Respondent profile

**Preamble 8** We are now coming to the last part of the questionnaire. Your answers will be used solely for statistical purposes.

**N\_MENAGE** Including yourself, how many people live in your household (home)? Please include all persons living at least 40% of the time in the household.

S

INSTRUCTION CATI and CAWI: “40% of the time” means that they live with you, for example, every other week OR about 3 days a week OR 6 days every 2 weeks OR 12 days a month OR 5 months of the year. This excludes children who are only there every other weekend. In the case of a child in shared custody, consider how much time the child really lives in your home and not what the legal judgment says.

Specify [Min = 1 ; Max = 20]

98 Don't know

99 Refuse to answer

### Filtre 14.

Si N\_MENAGE = 1 → Q\_MENAGE = codé 1 → ID\_SEX

Sinon → Q\_MENAGE

**COMPO\_MENAGE** Which type of situation best describes the current composition of your household (home)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Person lives alone in the household [Choix n'apparaissant que si N\_MENAGE =98,99. Choix sélectionné automatiquement si N\_MENAGE = 1]
- 02 Couple without children in the same home [Choix n'apparaissant pas si N\_MENAGE >2]
- 03 Couple with a child or children (children of any age) in the same home [Choix n'apparaissant pas si N\_MENAGE =2]
- 04 Single-parent family (children of any age)
- 05 Family with other people (relatives or non-relatives) [Choix n'apparaissant pas si N\_MENAGE =2]
- 06 Related persons only (brothers, sister, etc.)
- 07 Unrelated persons only (roommates)
- 08 Other (multiple families, etc.)
- 98 Don't know
- 99 Refuse to answer

**ID\_SEX** What is your sexual orientation? ① Would you say you are:

INSTRUCTION CATI: Read all the response choices. Remind the respondent that the purpose of this question is to find out how they identify themselves.

INSTRUCTION CATI / ① CAWI: **Why is there a question about sexual orientation?**

Health inequities exist for people who are part of the sexual and gender diversity community. It is particularly important to include questions about this in surveys, because it is necessary to know the experiences and perceptions of a diverse group of people to reduce health inequalities.

- 1 Heterosexual or straight
- 2 Gay or lesbian
- 3 Bisexual
- 4 Or please specify
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes (ESCC), 2022, question SOR\_Q01. Adaptée par l'ISQ.*

**NIV\_SCOL** What is the highest level of education you have completed?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category. If you have a degree or diploma from another country, choose its equivalent in the Québec school system.

INSTRUCTION CAWI: If you have a degree or diploma from another country, choose its equivalent in the Québec school system.

- 01 Elementary education or less (7<sup>th</sup> grade or less)
- 02 Partial high school education (8<sup>th</sup>, 9<sup>th</sup>, 10<sup>th</sup> or 11<sup>th</sup> Grade, incomplete classical education/Rudiments of Latin, Syntax, Method, Versification)
- 03 High school diploma (12<sup>th</sup> Grade, incomplete classical education/Literature, Rhetoric, Philosophy I)
- 04 Trade school or vocational school diploma
- 05 Business college diploma
- 06 CEGEP diploma (completed classical education/Philosophy II/Bachelor of arts/Normal School)
- 07 Undergraduate diploma or degree (certificate, minor, major, bachelor's degree)
- 08 Master's degree, Ph.D., graduate diploma
- 09 Other
- 98 Don't know
- 99 Refuse to answer

**OCCUP** In the **past 12 months**, what was your **main** occupation?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 A full-time worker
- 02 A part-time worker (less than 30 hours)
- 03 Student
- 04 Retired
- 05 At home (keeping house)
- 06 On maternity or paternity leave
- 07 On unemployment insurance
- 08 On social welfare insurance
- 09 On disability or sick leave
- 10 Other
- 98 Don't know
- 99 Refuse to answer

**REVENU\_CONT** There continues to be an important link between income and health. We would appreciate if you respond to the following question which would allow us to study this relationship. For the **past 12 months**, what was the approximate total income (gross income), from all sources before taxes and other deductions, of all the members of your household?

**TEXTE QUESTION CATI et INSTRUCTION CAWI:** Don't forget to include all amounts including Canada child benefits, investment income, etc.

- The respondent provides an answer → CP\_VALID [Min = 0 ; Max = 9 999 997]
- 9999998 Don't know → REVENU\_CAT
- 9999999 Refuse to answer → REVENU\_CAT

**REVENU\_CAT** Could you then indicate in which of the following categories your household income was in?

**INSTRUCTION CATI:** Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Less than \$10,000 → CP\_VALID
- 02 \$10,000 to less than \$20,000 → REVENU\_CAT1
- 03 \$20,000 to less than \$30,000 → REVENU\_CAT2
- 04 \$30,000 to less than \$40,000 → REVENU\_CAT3
- 05 \$40,000 to less than \$50,000 → CP\_VALID
- 06 \$50,000 to less than \$60,000 → CP\_VALID
- 07 \$60,000 to less than \$80,000 → CP\_VALID
- 08 \$80,000 to less than \$100,000 → CP\_VALID
- 09 \$100,000 to less than \$120,000 → CP\_VALID
- 10 \$120,000 to less than \$140,000 → CP\_VALID
- 11 \$140,000 or more → CP\_VALID
- 98 Don't know → CP\_VALID
- 99 Refuse to answer → CP\_VALID

**REVENU\_CAT1** Is it more than \$15,000?

- 1 Yes → CP\_VALID
- 2 No → CP\_VALID
- 8 Don't know → CP\_VALID
- 9 Refuse to answer → CP\_VALID

**REVENU\_CAT2** Is it more than \$25,000?

- 1 Yes → CP\_VALID
- 2 No → CP\_VALID
- 8 Don't know → CP\_VALID
- 9 Refuse to answer → CP\_VALID

**REVENU\_CAT3** Is it more than \$35,000?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

**CP\_VALID** Is your postal code <CPP>?

- 1 Yes → COMMENT
- 2 No → CP\_INFO
- 8 Don't know → CP\_INFO
- 9 Refuse to answer → CP\_INFO

**CP\_INFO** What is your postal code?

**INSTRUCTION CATI AND CAWI :** Exemple : H0H 0H0

Enter postal code

- A8A 8A8 Don't know → CP\_3CAR
- A9A 9A9 Refuse to answer → CP\_3CAR

**CP\_3CAR** Could you then provide the first three digits of your postal code?

Enter the first three digits of the postal code

- A8A Don't know → COMMENT
- A9A Refuse to answer → COMMENT

**COMMENT** Do you have any comments about the survey or questionnaire?

**CONSIGNE CATI ET CAWI :**

You can rest assured that we read every comment with a view to improving the survey.

- 1 Leave feedback
- 2 Do not leave a feedback

**MERCI** This concludes the interview. On behalf of Statistique Québec, I would like to thank you for your co-operation.

« La statistique au  
service de la société :  
la référence au Québec »