

Enquête québécoise sur le cannabis 2025

Questionnaire anglais

Février 2025



Document réalisé à l'Institut de la statistique du Québec.

Avec la collaboration du ministère de la Santé et des Services sociaux, de l'Institut national de santé publique du Québec et des partenaires de l'Université d'Ottawa et du Centre de recherche du CHUM.

Pour tout renseignement concernant
le contenu de cette publication :

Direction des enquêtes de santé
Institut de la statistique du Québec
1200, avenue McGill College, bureau 500
Montréal (Québec) H3B 4J8
Téléphone :
514 873-4749
1 800 463-4090 (Canada et États-Unis)
Site Web : statistique.quebec.ca

Ce document est disponible seulement en version électronique.

Note : Les questions du présent questionnaire sont protégées par le droit d'auteur. L'utilisation de toute question du présent questionnaire n'est permise qu'à des fins de consultation personnelle. L'utilisateur est entièrement responsable de s'assurer que toute autre utilisation qu'il entend faire d'une question du présent questionnaire soit permise ou autorisée par le titulaire des droits sur cette question.

Notice bibliographique suggérée

INSTITUT DE LA STATISTIQUE DU QUÉBEC (2026). *Enquête québécoise sur le cannabis 2025. Questionnaire anglais*, [En ligne], Québec, L'Institut, 37 p., [statistique.quebec.ca/en/document/enquete-quebecoise-sur-le-cannabis-2025].

© Gouvernement du Québec, Institut de la statistique du Québec, 2026

Toute reproduction autre qu'à des fins de consultation personnelle est interdite sans l'autorisation du gouvernement du Québec.

statistique.quebec.ca/fr/institut/nous-joindre/droits-auteur-permission-reproduction

Avril 2026

In accordance with the Institut de la statistique du Québec's (ISQ) new social statistics practices, gender was measured in the introduction of this survey. For more information about this measure, please refer to our webpage on taking gender into account in surveys, at: statistique.quebec.ca/en/institut/methodology/classifications-and-definitions/methodology-taking-gender-into-account.

[T1_Début]

Preamble 1 In this study when we use the term cannabis, this includes **marijuana** (pot, weed), **hashish** (hash), **liquid extracts or concentrates** (cannabis oil), **solid extracts or concentrates** (shatter, budder, wax) or any other products made from the cannabis plant, but not synthetic cannabinoids (Spice, K2, Yucatan Fire, etc.) ⓘ.

INSTRUCTION CATI / ⓘ CAWI: Synthetic cannabinoids are manufactured in laboratories and are often sprayed onto dried plant material, mimicking certain effects of cannabis.

When we ask about cannabis use, this includes smoking it, vaping it, eating it in an edible product, or consuming it in any other way, whether for medical or non-medical purposes.

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, MainIntro. Adapté par l'ISQ.

Section 1 – Perceptions and attitudes towards cannabis

Preamble 2 Let's start with some questions you must answer based on **your personal opinion**.

PERC_CAN_CON In your opinion, does using cannabis impair one's ability to drive or operate a motor vehicle (e.g. car, motorcycle, snowmobile, motor boat or all-terrain vehicle (ATV))?

INSTRUCTION CATI: Read all the response choices.

- 1 Yes
- 2 No
- 3 It depends
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q8. Adaptée par l'ISQ.

RISQUE_DEP As far as you know, can cannabis use be addictive for some people?

INSTRUCTION: Read all the response choices.

- 1 Yes
- 2 No
- 3 **Don't know**
- 9 Refuse to answer

Source : *Enquête nationale sur le cannabis* (ENC), 2019, question CAN_Q54G.

VAPE_RISQUE In your opinion, how much do people risk harming themselves when they **vape** cannabis (e.g. with an e-cigarette, a wax pen)?

INSTRUCTION CATI: Read all the response choices.

- 1 No risk
- 2 Slight risk
- 3 Moderate risk
- 4 Great risk
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2021, question Q3. Adaptée par l'ISQ.

PROP_ENTOUR In your opinion, how many people you know (friends, acquaintances, colleagues and family members) use cannabis (occasionally or regularly)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 All of them
- 2 Most of them
- 3 About half of them
- 4 Some of them
- 5 None of them
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, questions Q4 et Q5. Adaptées par l'ISQ.

PASSAGE In the **past 12 months**, have you been a passenger in a motor vehicle (e.g., car, motorcycle, snowmobile, motor boat or all-terrain vehicle (ATV)) driven by someone under the influence of cannabis?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q10a. Adaptée par l'ISQ.

(PUB) In the **past 12 months**, have you seen or heard **advertisements** or **commercial promotions** as discounts, promotions for new products, or infomercials for cannabis in any of the following places?

[Rotation des choix sauf le dernier]

		Yes	No	Don't know	Refuse to answer
PUB_1	Websites	1	2	8	9
PUB_2	Emails or text messages	1	2	8	9
PUB_3	Inside or outside stores that sell cannabis or accessories	1	2	8	9
PUB_4	Health care facilities (e.g., pharmacy, doctor's office)	1	2	8	9
PUB_5	Sporting events, concerts, festivals or markets, or temporary kiosks (in shopping centres or on the street)	1	2	8	9
PUB_6	TV or radio	1	2	8	9
PUB_7	Posters or billboards, in public transit, at bars or restaurants, etc.	1	2	8	9
PUB_8	Regular postal mail, flyers, print newspapers or magazines	1	2	8	9
PUB_9	Social media (e.g., Facebook, X, YouTube, Instagram, Snapchat)	1	2	8	9
PUB_10	Other place, please specify (O_PUB10_1M1)	1	2	8	9

Source : Hammond, D., et autres. *International Cannabis Policy Study* (ICPS), 2018, question ADPROMO. Adaptée par l'ISQ.

(FUM2) In the **past 12 months**, how often were you exposed to second-hand cannabis smoke **from others**...

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

		Never	Less than 1 day per month	1 to 3 days per month	1 to 6 days per week	Daily	Don't know	Refuse to answer
FUM2_RESI	inside a private house?	1	2	3	4	5	8	9
FUM2_RESE	outside a private house, such as in the backyard or on the balcony?	1	2	3	4	5	8	9
FUM2_AUTO	in a car or another private vehicle?	1	2	3	4	5	8	9
FUM2_LPUB	inside public places such as bars, restaurants, theatres, etc.?	1	2	3	4	5	8	9
FUM2_DEHORS	outside, for example on the street or at the park, or near the entrance of a bar, school or workplace, etc.?	1	2	3	4	5	8	9

Source : Institut de la statistique du Québec, *Enquête québécoise sur le tabac et les produits de vapotage (EQTPV)*, 2023, question EXPO1_3. Adaptée par l'ISQ.

[T1_Fin] - [T2_Début]

Section 2 – Cannabis use

Preamble 3 Remember that when we ask about cannabis use, we are referring to its use in any manner, for medical or non-medical purposes.

CONSO_VIE During your lifetime, have you ever used cannabis?

- 1 Yes
- 2 No → [Preamble 6](#)
- 8 Don't know → [Preamble 6](#)
- 9 Refuse to answer → [Preamble 6](#)

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q11a. Adaptée par l'ISQ.

AGE_INI_CONT How old were you when you first used cannabis?

- Enter age [Min = 8 ; Max = âge au moment de l'enquête] → [CONSO_CAN](#)
- 998 Don't know
 - 999 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q15. Adaptée par l'ISQ.

[\[Message de validation de AGE_INI_CONT vs. âge au moment de l'enquête\]](#)

AGE_INIT_C Could you indicate which age category you were in when you first used cannabis?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Under 12 years
- 02 12 to 15 years
- 03 16 to 17 years
- 04 18 to 20 years
- 05 21 to 24 years
- 06 25 to 29 years
- 07 30 to 34 years
- 08 35 years or over
- 98 Don't know
- 99 Refuse to answer

[\[Affichage conditionnel à l'âge à l'enquête\]](#)

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2021, question Q9b.

CONSO_CAN In the **past 12 months**, have you used cannabis?

- 1 Yes
- 2 No → [ASSIST_INQ](#)
- 8 Don't know → [ASSIST_INQ](#)
- 9 Refuse to answer → [ASSIST_INQ](#)

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q16. Adaptée par l'ISQ.

FREQ_CONSO In the **past 12 months**, how often did you use cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q17. Adaptée par l'ISQ.

(M_CONSO) In the **past 12 months**, did you use the following methods to consume cannabis (the method is the way the cannabis is consumed)?

		Yes	No	Don't know	Refuse to answer
M_FUME	You smoked it in a joint, bong, pipe or blunt	1	2	8	9
M_DABB	You dabbled it, including with a hot knife, needle or nail	1	2	8	9
M_VAPOT	You vaped it (e.g. with an e-cigarette, a wax pen)	1	2	8	9
M_VAPOR	You vaporized it (e.g. with a stationary vaporizer or a portable vaporizer)	1	2	8	9
M_MANGE	You ate it in food (e.g. brownies, cakes, cookies, candy)	1	2	8	9
M_BU	You drank it (tea, soda, alcohol or other drinks)	1	2	8	9
M_PILULE	You ingested it as a pill, softgel or capsule	1	2	8	9
M_GOUTTE	You consumed it as oral drops or with an oral spray	1	2	8	9

Sources : Santé Canada, *Enquête canadienne sur le cannabis* (ECC), 2017, question Q23, et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question CAN_Q032. Adaptées par l'ISQ.

M_AUTRE In the **past 12 months**, did you use any other method than those previously mentioned to consume cannabis (the method is the way the cannabis is consumed)?

- 1 Yes, please specify (O_M_AUTREM1)
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q23. Adaptée par l'ISQ.

Filtre 1.

Si M_FUME = 1 → [FREQ_M_FUME](#)

Sinon → [Filtre 2](#)

FREQ_M_FUME In the **past 12 months**, how often did you smoke cannabis in a joint, bong, pipe or blunt?

INSTRUCTION CATI: [Read all the response choices.](#)

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 2.

Si M_DABB = 1 → [FREQ_M_DABB](#)

Sinon → [Filtre 3](#)

FREQ_M_DABB In the **past 12 months**, how often did you inhale cannabis by dabbing, including with a hot knife, needle or nail?

INSTRUCTION CATI: [Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.](#)

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 3.

Si M_VAPOT = 1 → [VAPE_AGE](#)

Sinon → [Filtre 4](#)

VAPE_AGE You indicated that you have vaped cannabis. How old were you when you first **vaped** cannabis?

Enter age [Min = 8 ; Max = âge au moment de l'enquête]

998 Don't know

999 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q15. Adaptée par l'ISQ.

[\[Message de validation de VAPE_AGE vs. âge au moment de l'enquête\]](#)

FREQ_M_VAPOT In the **past 12 months**, how often did you vape cannabis (e.g. with an e-cigarette, a wax pen)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

(VAPE_SOURCE) In the **past 12 months**, where did you get the cannabis products you **vaped**?

		Yes	No	Don't know	Refuse to answer
VAPE_SOURCE1	From a family member or a friend (purchased or shared among a group of friends, for example)	1	2	8	9
VAPE_SOURCE2	From an official retailer in a province other than Québec, in person	1	2	8	9
VAPE_SOURCE6	From a business or store located in an Indigenous community, online or in person	1	2	8	9
VAPE_SOURCE4	Via Internet , from a source other than the SQDC, other than a producer selling cannabis for medical purposes (intended for users who have a medical authorization), or other than an Indigenous store	1	2	8	9
VAPE_SOURCE3	From a dealer or on the black market, in person	1	2	8	9
VAPE_SOURCE5	Other, please specify: (O_VAPE_AUTREM1)	1	2	8	9

Sources : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question LIQUIDVAPE.SOURCE1 et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2024, question SOURCE_SOC. Adaptées par l'ISQ.

Filtre 4.

Si M_VAPOR = 1 → FREQ_M_VAPOR

Sinon → Filtre 5

FREQ_M_VAPOR In the **past 12 months**, how often did you inhale cannabis after vaporization (e.g. with a stationary vaporizer or a portable vaporizer)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 5.

Si M_MANGE = 1 → FREQ_M_MANGE

Sinon → Filtre 6

FREQ_M_MANGE In the **past 12 months**, how often did you eat cannabis edibles (e.g. brownies, cakes, cookies, candy)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 6.

Si M_BU = 1 → FREQ_M_BU

Sinon → Filtre 7

FREQ_M_BU In the **past 12 months**, how often did you drink cannabis products (tea, soda, alcohol or other drinks)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 7.

Si M_PILULE = 1 → FREQ_M_PILUL

Sinon → Filtre 8

FREQ_M_PILUL In the **past 12 months**, how often did you ingest cannabis as a pill, softgel or capsule?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 8.

Si M_GOUTTE = 1 → FREQ_M_GOUTT

Sinon → Préambule 4

FREQ_M_GOUTT In the **past 12 months**, how often did you consume cannabis as oral drops or with an oral spray?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Preamble 4 The next questions are about the cannabis you used, in general, in the **past 12 months**.

CAN_CONT In the **past 12 months**, what did you mainly use...?

INSTRUCTION CATI: Read all the response choices.

- 1 Product(s) containing solely THC
- 2 Product(s) containing more THC than CBD
- 3 Product(s) containing as much THC as CBD
- 4 Product(s) containing more CBD than THC
- 5 Product(s) containing solely CBD
- 6 You don't know [CATI] / I don't know [CAWI]**
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2019, question Q31. Adaptée par l'ISQ.

[T2_Fin] - [T3_Début]

(SOURCE) In the **past 12 months**, where did you get the cannabis you used?

		Yes	No	Don't know	Refuse to answer
S_CULTIVE	It was grown by you [CATI] / by me [CAWI]	1	2	8	9
S_AMI	From a family member or a friend (purchased or shared among a group of friends, for example)	1	2	8	9
S_SQDC	At the Société québécoise du cannabis (SQDC), online or in store	1	2	8	9
S_PROV	From an official retailer in a province other than Québec, in person	1	2	8	9
S_AUTOCH	From a business or store located in an Indigenous community, online or in person	1	2	8	9
S_INTER	Via Internet , from a source other than the SQDC, other than a producer selling cannabis for medical purposes (intended for users who have a medical authorization), or other than an Indigenous store	1	2	8	9
S_DEAL	From a dealer or on the black market, in person	1	2	8	9

Sources : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2018, question CANNABIS.SOURCE1 et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2024, question SOURCE_SOC. Adaptées par l'ISQ.

S_AUTRE In the **past 12 months**, have you obtained cannabis from a source other than those mentioned previously?

- 1 Yes, please specify (O_S_AUTREM1)
- 2 No
- 8 Don't know
- 9 Refuses to answer

Filtre 9.

Si S_AMI = 1 → SOURCE_SOC

Sinon Filtre 10

(SOURCE_SOC) You mentioned having obtained cannabis from a family member or a friend in the **past 12 months**. Where did this person get the cannabis they provided to you? Don't forget that your answers are strictly confidential.

INSTRUCTION CATI: This question is about all the times the respondent obtained cannabis from a family member or a friend in the past year.

INSTRUCTION CAWI: Think about all the times this has happened in the past year.

		Yes	No	You don't know [CATI] / I don't know [CAWI]	Refuse to answer
SSOC_SQDC	At the Société québécoise du cannabis (SQDC), online or in store	1	2	3	9
SSOC_PROV	From an official retailer in a province other than Québec, in person	1	2	3	9
SSOC_RES	From a business or store located in an Indigenous community, online or in person	1	2	3	
SSOC_INT	Via Internet , from a source other than the SQDC, other than a producer selling cannabis for medical purposes (intended for users who have a medical authorization), or other than an Indigenous store	1	2	3	9
SSOC_ILL	From a dealer or on the black market, in person	1	2	3	9
SSOC_CUL	It was grown by this person	1	2	3	9
SSOC_AUT	Other, please specify: (O_SSOC_AUT_OM1)	1	2	--	9

Sources : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question CANNABIS.SOURCE.FRIEND et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2024, question SOURCE_SOC. Adaptées par l'ISQ.

Filtre 10.

Si âge au moment de l'enquête ≥ 21 ou âge manquant \rightarrow PART_SQDC

Sinon Filtre 11

PART_SQDC In the **past 12 months**, what percentage of the cannabis you **purchased** came from the SQDC?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 0%
- 2 1% to 24%
- 3 25% to 49%
- 4 50% to 74%
- 5 75% to 99%
- 6 100%
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q18. Adaptée par l'ISQ.

Filtre 11.

Si S_DEAL = 1 → ILLEGAL_FORM

Sinon → Filtre 13

ILLEGAL_FORM When you last purchased cannabis **in person** from a **dealer or on the black market**, what form of cannabis did you **mainly** buy? Include only the last **purchase**. Do not include gifts or barter.

INSTRUCTION CATI: Read all the response choices.

- 1 Dried flowers or leaves, buds
- 2 Hashish or kief
- 3 Liquid extract or concentrate (e.g. cannabis or hash oil or extract such as rosin or distillate, oil cartridges, disposable vape pens or wax pen)
- 4 Solid extract or concentrate excluding hashish (e.g. dabs, shatter, budder, wax)
- 5 Food products
- 6 Beverages
- 7 Other
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q20. Adaptée par l'ISQ.

Filtre 12.

Si ILLEGAL_FORM = 1 → ILLEGAL_PRIX

Sinon → Filtre 13

ILLEGAL_PRIX How much (\$) did you pay for that purchase of dried flowers, leaves, or buds?

INSTRUCTION CATI: Please use a period (.) rather than a comma (,) as a decimal separator.

Enter amount (\$) [Min = 1 ; Max = 99 997]

99 998 Don't know

99 999 Refuse to answer

Source : *Approche participative pour le prix du cannabis*, 2018, question 1. Adaptée par l'ISQ.

ILLEGAL_POID What quantity of this product, in **grams**, did you get for that amount?

INSTRUCTION CATI: Please use a period (.) rather than a comma (,) as a decimal separator.

INSTRUCTION CATI AND CAWI: Do not enter a fraction such as $\frac{1}{4}$ g but enter 0.25

$\frac{1}{2}$ g but enter 0.5

$\frac{3}{4}$ g but enter 0.75

If you know the quantity purchased in ounces (oz.), please use the following equivalences, and answer in grams: $\frac{1}{8}$ oz. = 3.5 g

$\frac{1}{4}$ oz. = 7 g

$\frac{1}{2}$ oz. = 14 g

1 oz. = 28 g

Enter quantity [Min >0 ; Max = 99 997]

99 998 Don't know

99 999 Refuse to answer

Source : *Approche participative pour le prix du cannabis*, 2018, question 1. Adaptée par l'ISQ.

Filtre 13.

Si S_INTER = 1 → ILLEGAL_F_IN

Sinon → RAISON_CONSO

ILLEGAL_F_IN When you last purchased cannabis **via Internet**, from a source **other** than the SQDC, other than a **producer** selling cannabis for **medical** purposes (intended for users who have a medical authorization), or other than an Indigenous store, what form of cannabis did you **mainly** buy? Include only the last **purchase**. Do not include gifts or barter.

INSTRUCTION CATI: Read all the response choices.

- 1 Dried flowers or leaves, buds
- 2 Hashish or kief
- 3 Liquid extract or concentrate (e.g. cannabis or hash oil or extract such as rosin or distillate, oil cartridges, disposable vape pens or wax pen)
- 4 Solid extract or concentrate excluding hashish (e.g. dabs, shatter, budder, wax)
- 5 Food products
- 6 Beverages
- 7 Other
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q20. Adaptée par l'ISQ.

Filtre 14.

Si ILLEGAL_F_IN = 1 → ILLEGAL_P_IN

Sinon → RAISON_CONSO

ILLEGAL_P_IN How much (\$) did you pay for that purchase of dried flowers, leaves, or buds?

INSTRUCTION CATI: Please use a period (.) rather than a comma (,) as a decimal separator.

Enter amount (\$) [Min =1 ; Max = 99 997]

99 998 Don't know

99 999 Refuse to answer

Source : *Approche participative pour le prix du cannabis*, 2018, question 1. Adaptée par l'ISQ.

ILLEGAL_G_IN What quantity of this product, in **grams**, did you get for that amount?

INSTRUCTION CATI: Please use a period (.) rather than a comma (,) as a decimal separator.

INSTRUCTION CATI AND CAWI: Do not enter a fraction such as ¼ g but enter 0.25

½ g but enter 0.5

¾ g but enter 0.75

If you know the quantity purchased in ounces (oz.), please use the following equivalences, and answer in

grams: 1/8 oz. = 3.5 g

1/4 oz. = 7 g

1/2 oz. = 14 g

1 oz. = 28 g

Enter quantity [Min >0 ; Max = 99 997]

99 998 Don't know

99 999 Refuse to answer

Source : *Approche participative pour le prix du cannabis*, 2018, question 1. Adaptée par l'ISQ.

[T3_Fin] - [T4_Début]

(RAISON_CONSO) For what reason(s) did you use cannabis in the **past 12 months**?

		Yes	No	Don't know	Refuse to answer
RAISON_SANTE	To treat a health problem or relieve symptoms	1	2	8	9
RAISON_RELAX	To relax or relieve tension	1	2	8	9
RAISON_EXPER	To experiment or to see what it is like	1	2	8	9
RAISON_BUZZ	To feel buzzed or get high	1	2	8	9
RAISON_SOMME	To help you with your sleep	1	2	8	9
RAISON_EMOTI	To help you with your feelings or emotions	1	2	8	9
RAISON_DROGU	To increase or decrease the effect(s) of some other drug	1	2	8	9
RAISON_DEP	Because you are hooked or must have it	1	2	8	9
RAISON_PLAIS	For fun	1	2	8	9
RAISON_SOCIO	To have a good time with friends, to socialize	1	2	8	9

Source : Center for Behavioral Health Statistics and Quality. *National Survey on Drug Use and Health (NSDUH)*, 2015, question PRYMOTIV. Adaptée par l'ISQ.

RAISON_AUTRE In the **past 12 months**, did you use cannabis for any other reason than those previously mentioned?

1 Yes, please specify (O_RAISON_AUTREM1)

2 No

8 Don't know

9 Refuse to answer

Source : Center for Behavioral Health Statistics and Quality. *National Survey on Drug Use and Health (NSDUH)*, 2015, question PRYMOTIV. Adaptée par l'ISQ.

RAISON_PRINC What is the **main reason** you've used cannabis in the **past 12 months**?

INSTRUCTION CATI: Read all the response choices.

- 1 For medical use
- 2 For non-medical use
- 3 For both medical use and non-medical use
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête nationale sur le cannabis* (ENC), 2020, question CAN_Q17. Adaptée par l'ISQ.

DOCU_MED In the **past 12 months**, did you have a medical document from a doctor authorizing you to use cannabis?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question M1a. Adaptée par l'ISQ.

Filtre 15.

Si **RAISON_SANTE** = 1 **OU** **RAISON_PRINC** = 1,3 → **PB_SANTE**

Sinon → **CONDUI_INF**

PB_SANTE For what health problem(s) or symptom(s) did you use cannabis in the **past 12 months**?

INSTRUCTION CATI: Read the response choices and suggest a yes or no answer. Check all that apply.

INSTRUCTION CAWI: Check all that apply.

- 01 Chronic pain (arthritis, back pain or migraine)
- 02 Nausea or vomiting
- 03 Lack of appetite or weight loss
- 04 Depression
- 05 Multiple sclerosis, amyotrophic lateral sclerosis, spinal cord injury
- 06 Epilepsy
- 07 Anxiety or nerves
- 08 Glaucoma
- 09 Sleep disorders
- 10 Post-traumatic stress syndrome
- 11 Drug addiction or withdrawal from another substance
- 12 Other, please specify (O_PB_SANTEM1 à O_PB_SANTEM8)
- 98 Don't know
- 99 Refuse to answer

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question CAN_Q066. Adaptée par l'ISQ.

CONDUI_INF In the **past 12 months**, how many times have you driven a motor vehicle (e.g. car, motorcycle, snowmobile, motor boat or all-terrain vehicle (ATV)) under the influence of cannabis?

INSTRUCTION CATI: Read all the response choices

- 1 Never
- 2 Less than once a month
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 6 **Not applicable, you do not drive [CATI] / Not applicable, I don't drive [CAWI]**
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis (ECC)*, 2017, question Q53a. Adaptée par l'ISQ.

F_CONSO_SEUL In the **past 12 months**, how often have you used cannabis alone?

INSTRUCTION CATI: Read all the response choices

- 1 Never
- 2 Less than once a month
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : European Monitoring Centre for Drugs and Drug Addiction, the *European School Survey Project on Alcohol and Other Drugs (ESPAD)*, 2019, question C27(b). Adaptée par l'ISQ.

CONSO_JOUR In the **past 12 months**, how often did you use cannabis just before your work or study day or while working or studying (in person or remotely)?

INSTRUCTION CATI: Read all the response choices.

- 1 Never
- 2 Sometimes
- 3 Often
- 4 Always or almost always
- 5 **Not applicable, you did not work or you did not study [CATI] / Not applicable, did not work or did not study [CAWI]**
- 8 Don't know
- 9 Refuse to answer

Source : Inspirée de Hammond, D., et autres. *International Cannabis Policy Study (ICPS)*, 2018, questions USE.CURRENTWORK et USE.SCHOOL.

[T4_Fin] - [T5_Début]

Section 3 – Effects of cannabis use

Preamble 5 The next questions are about your cannabis use in the **past 3 months**.

CONSO_CAN3 During the **past 3 months (90 days)**, how often did you use cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Never → ASSIST_INQ
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_DESIR During the **past 3 months**, how often have you had a strong desire or urge to use cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_PB During the **past 3 months**, how often has your use of cannabis led to health, social, legal or financial problems?

INSTRUCTION CATI: Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): manual for use in primary care*. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_INCAP During the **past 3 months**, how often have you failed to do what was normally expected of you because of your use of cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_INQ During your lifetime, has a friend or relative or anyone else ever expressed concern about your use of cannabis?

INSTRUCTION CATI: Read all the response choices. Read slowly.

This question may seem not to apply to you, but I have to ask everyone. Answer to the best of your ability.

- 1 No, never
- 2 Yes, but not in the **past 3 months**
- 3 Yes, in the **past 3 months**
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_CTRL During your lifetime, have you ever tried, and failed, to control, cut down or stop using cannabis?

INSTRUCTION CATI: Read all the response choices. Read slowly.

This question may seem not to apply to you, but I have to ask everyone. Answer to the best of your ability.

- 1 No, never
- 2 Yes, but not in the **past 3 months**
- 3 Yes, in the **past 3 months**
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

AIDE_BESOIN2 During your lifetime, have you ever felt that you needed help because of your cannabis use (e.g., support group, mobile app, support line, employee support program, specialized treatment)?

INSTRUCTION CATI: Read all the response choices.

- 1 No, never
- 2 Yes, but not in the **past 12 months**
- 3 Yes, in the **past 12 months**
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2021, question Q70. Adaptée par l'ISQ.

(AIDE) During your lifetime, have you ever received help for your cannabis use from...

INSTRUCTION CATI: Read all the response choices.

		No, never	Yes, but not in the past 12 months	Yes, in the past 12 months	Don't know	Refuse to answer
AIDE_PROF_R	the healthcare system (e.g., medical clinic, CLSC, hospital, addiction rehabilitation center)?	1	2	3	8	9
AIDE_AUTRE	another type of resource such as a support group, a mobile app, a support line, an employee assistance program, housing for people with addiction, etc.?	1	2	3	8	9

Sources : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2021, question Q71 et Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question PAST3MOS.WHERE1. Adaptées par l'ISQ.

[T5_Fin] - [T6_Début]

Section 4 – Use of substances other than cannabis

Preamble 6 The next questions are about your use of substances other than cannabis.

CONSO_OH In the **past 12 months**, how often did you drink alcoholic beverages?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Never
- 02 Less than once a month
- 03 Once a month
- 04 2 to 3 times a month
- 05 Once a week
- 06 2 to 3 times a week
- 07 4 to 6 times a week
- 08 Everyday
- 98 Don't know
- 99 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question ALC_Q015.

Filtre 16.

Si CONSO_CAN = 1 ET CONSO_OH = 2, 3, 4, 5, 6, 7, 8 → COMB_OH

Si CONSO_CAN = 1 ET CONSO_OH = 1, 98, 99 → COMB_TABAC

Sinon → CAN_SYN

(CONSO_COMB) In the **past 12 months**, how often did you use the following substances in combination with cannabis (that is, at the same time as cannabis)?

INSTRUCTION CATI: Read all the response choices. Based on previous editions, it can be useful to repeat “in combination with cannabis” after naming the substance in question.

		Never	Rarely	Sometimes	Often	Always	Don't know	Refuse to answer
COMB_OH	Alcohol	1	2	3	4	5	8	9
COMB_TABAC	Tobacco or nicotine in all forms (smoked or in an e-cigarette, mixed with cannabis or not)	1	2	3	4	5	8	9
COMB_OPIO	Opiates or opioids (prescribed or not) (e.g. oxycodone,	1	2	3	4	5	8	9

Enquête québécoise sur le cannabis 2025
Questionnaire anglais

Never Rarely Sometimes Often Always Don't know Refuse to answer

		Never	Rarely	Sometimes	Often	Always	Don't know	Refuse to answer
	Dilaudid®, morphine, Demerol®, fentanyl, drugs containing codeine)							
COMB_STIMUL	Stimulants (prescribed or not) (e.g. Ritalin®, Concerta®, Adderall®, Dexedrine®, Vyvanse®)	1	2	3	4	5	8	9
COMB_SEDA	Sedatives or tranquilizers (prescribed or not) (e.g. "benzo" such as diazepam, lorazepam, Valium®, Ativan®, alprazolam, Xanax®, clonazepam, Rivotril®)	1	2	3	4	5	8	9
COMB_DROGUE	Other illegal drug or substance	1	2	3	4	5	8	9

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q50. Adaptée par l'ISQ.

CAN_SYN In the **past 12 months**, did you use synthetic cannabinoids, meaning products such as Spice, K2 or Yucatan Fire?

INSTRUCTION CATI / Ⓞ CAWI : Synthetic cannabinoids are manufactured in laboratories and are often sprayed onto dried plant material, mimicking certain effects of cannabis. These products may be called other names like AK-47, Mr. Happy, Scooby Snax, Kush, Kronik, etc., and usually contain molecules such as CP-55940, JWH-018, or HU-210.

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2018, question Q32.

[T6_Fin] - [T7_Début]

Section 5 – General and mental health

Preamble 7 There are several links between health and cannabis use. The next questions are about various aspects of your physical, mental and social health. They are asked of all participants, regardless of the answers provided up to this point.

SANTE In general, would you say your health is...?

INSTRUCTION CATI: Read all the response choices.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN_Q005.

SATISF_VIE How do you feel about your life as a whole right now using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied"?

- 00 Very dissatisfied
- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08
- 09
- 10 Very satisfied
- 98 Don't know
- 99 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN_Q010. Adaptée par l'ISQ.

S_MENTAL In general, would you say your mental health is...?

INSTRUCTION CATI: Read all the response choices.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN_Q015.

Let us now talk about the **past month**.

KESSLER_1 During the **past month**, about how often did you feel nervous?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_2 During the **past month**, about how often did you feel hopeless?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_3 During the **past month**, about how often did you feel restless or fidgety?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_4 During the **past month**, about how often did you feel so depressed that nothing could cheer you up?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_5 During the **past month**, about how often did you feel that everything was an effort (so tired that everything was an effort)?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_6 During the **past month**, about how often did you feel worthless?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

PSY Do you have a **personal** or **family** history of mental health problems (psychosis, depression, etc.) or substance use disorders such as alcohol or drugs (diagnosed or not) or are you currently living with one of these disorders?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2025, nouvelle question.

Message de fin de section CATI :

(This information is provided to everybody). We are aware that our questionnaire deals with topics that can be difficult for some people. If you need help, you can call 811, the Info-Santé / Info-Social number. This service is free and is available from anywhere in Québec, 24/7.

INSTRUCTION: 811 isn't just a service that allows you to speak with a nurse. You can also get a referral to organizations in your region for the social problem you would like to get help for.

Message de fin de section CAWI :

This questionnaire deals with topics that could be difficult for some people. If you need help, you can call 811, the Info-Santé / Info-Social number ☎. This service is free and is available from anywhere in Québec, 24/7.

① CAWI: 811 isn't just a service that allows you to speak with a nurse. You can also get a referral to organizations in your region for the social problem you would like to get help for. Please note that information is provided to everybody.

[T7_Fin] - [T8_Début]

Section 6 – Respondent profile

Preamble 8 We are now coming to the last part of the questionnaire. Your answers will be used solely for statistical purposes.

N_MENAGE Including yourself, how many people live in your household (home)? Please include all persons living at least 40% of the time in the household.

INSTRUCTION CATI / Ⓞ CAWI: “40% of the time” means that they live with you, for example, every other week OR about 3 days a week OR 6 days every 2 weeks OR 12 days a month OR 5 months of the year. This excludes children who are only there every other weekend. In the case of a child in shared custody, consider how much time the child really lives in your home and not what the legal judgment says.

Specify [Min = 1 ; Max = 20]

98 Don't know

99 Refuse to answer

Source : S. O.

Filtre 17.

Si N_MENAGE = 1 → Q_MENAGE = codé 1 → Preamble 9

Sinon → Q_MENAGE

Q_MENAGE Which type of situation best describes the current composition of your household (home)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Person lives alone in the household [Choix n'apparaissant que si N_MENAGE = 98,99. Choix sélectionné automatiquement si N_MENAGE = 1]
- 02 Couple without children in the same home [Choix n'apparaissant pas si N_MENAGE > 2]
- 03 Couple with a child or children (children of any age) in the same home [Choix n'apparaissant pas si N_MENAGE = 2]
- 04 Single-parent family (children of any age)
- 05 Family with other people (relatives or non-relatives) [Choix n'apparaissant pas si N_MENAGE =2]
- 06 Related persons only (brothers, sisters, etc.)
- 07 Unrelated persons only (roommates)
- 08 Other (multiple families, etc.)
- 98 Don't know
- 99 Refuse to answer

Source : S. O.

Préambule 9 The next two questions will be used to gather the necessary information to better understand the perceptions and experiences of various population groups in Québec regarding cannabis.

ID_SEX What is your sexual orientation?  Would you say you are:

INSTRUCTION CATI: Read all the response choices. Remind the respondent that the purpose of this question is to find out how they identify themselves.

INSTRUCTION CATI /  CAWI: **Why is there a question about sexual orientation?**

Health inequities exist for people who are part of the sexual and gender diversity community. It is particularly important to include questions about this in surveys, because it is necessary to know the experiences and perceptions of a diverse group of people to reduce health inequalities.

- 1 Heterosexual
- 2 Gay or lesbian
- 3 Bisexual
- 4 Or please specify (O_ID_SEXM1)
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes (ESCC)*, 2022, question SOR_Q01. Adaptée par l'ISQ.

AUT Are you an Indigenous person? Indigenous people include First Nations and Inuit.

INSTRUCTION CATI -  CAWI:

Why a question about Indigenous identity?

It is important to ask this question in order to take into account all population groups in health statistics and prevention programs, as certain groups are underrepresented in health studies.

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sociale générale – Famille (ESG)*, 2017, question AMB_Q01. Adaptée par l'ISQ.

NIV_SCOL What is the highest level of education you have completed?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category. If the respondent have a degree or diploma from another country, choose its equivalent in the Québec school system.

INSTRUCTION CAWI: If you have a degree or diploma from another country, choose its equivalent in the Québec school system.

- 01 Elementary education or less (7th grade or less)
- 02 Partial high school education (8th, 9th, 10th or 11th grade, incomplete classical education/Rudiments of Latin, Syntax, Method, Versification)
- 03 High school diploma (12th grade, incomplete classical education/Literature, Rhetoric, Philosophy I)
- 04 Trade school or vocational school diploma
- 05 Business college diploma
- 06 CEGEP diploma (completed classical education/Philosophy II/Bachelor of arts/Normal School)
- 07 Undergraduate diploma or degree (certificate, minor, major, bachelor's degree)
- 08 Master's degree, Ph.D., graduate diploma
- 09 Other
- 98 Don't know
- 99 Refuse to answer

Source : S. O.

OCCUP In the **past 12 months**, what was your **main** occupation?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 A full-time worker
- 02 A part-time worker (less than 30 hours)
- 03 Student
- 04 Retired
- 05 At home (keeping house)
- 06 On maternity or paternity leave
- 07 On unemployment insurance
- 08 On social welfare insurance
- 09 On disability or sick leave
- 10 Other
- 98 Don't know
- 99 Refuse to answer

Source : S. O.

REVENU_CONT There continues to be an important link between income and health. We would appreciate if you respond to the following question which would allow us to study this relationship. For the **past 12 months**, what was the approximate total income (gross income), from all sources before taxes and other deductions, of all the members of your household?

TEXTE QUESTION CATI et INSTRUCTION CAWI: Don't forget to include all amounts including Canada child benefits, investment income, etc.

The respondent provides an answer → CP_VALID [Min = 0 ; Max = 9 999 997]

9 999 998 Don't know → REVENU_CAT

9 999 999 Refuse to answer → REVENU_CAT

Source : S. O.

REVENU_CAT Could you then indicate in which of the following categories your household income was in?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Less than \$10,000 → CP_VALID
- 02 \$10,000 to less than \$20,000 → REVENU_CAT1
- 03 \$20,000 to less than \$30,000 → REVENU_CAT2
- 04 \$30,000 to less than \$40,000 → REVENU_CAT3
- 05 \$40,000 to less than \$50,000 → CP_VALID
- 06 \$50,000 to less than \$60,000 → CP_VALID
- 07 \$60,000 to less than \$80,000 → CP_VALID
- 08 \$80,000 to less than \$100,000 → CP_VALID
- 09 \$100,000 to less than \$120,000 → CP_VALID
- 10 \$120,000 to less than \$140,000 → CP_VALID
- 11 \$140,000 or more → CP_VALID
- 98 Don't know → CP_VALID
- 99 Refuse to answer → CP_VALID

Source : S. O.

REVENU_CAT1 Is it more than \$15,000?

- 1 Yes → CP_VALID
- 2 No → CP_VALID
- 8 Don't know → CP_VALID
- 9 Refuse to answer → CP_VALID

Source : S. O.

REVENU_CAT2 Is it more than \$25,000?

- 1 Yes → CP_VALID
- 2 No → CP_VALID
- 8 Don't know → CP_VALID
- 9 Refuse to answer → CP_VALID

Source : S. O.

REVENU_CAT3 Is it more than \$35,000?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : S. O.

CP_VALID Is your postal code <CPP>?

- 1 Yes → [COMMENT](#)
- 2 No → [CP_INFO](#)
- 8 Don't know → [CP_INFO](#)
- 9 Refuse to answer → [CP_INFO](#)

Source : S. O.

CP_INFO What is your postal code?

[INSTRUCTION CATI AND CAWI](#) : Exemple : H0H 0H0

Enter postal code → [COMMENT](#)

A8A 8A8 Don't know → [CP_3CAR](#)

A9A 9A9 Refuse to answer → [CP_3CAR](#)

Source : S. O.

CP_3CAR Could you then provide the first three digits of your postal code?

Enter the first three digits of the postal code

A8A Don't know

A9A Refuse to answer

Source : S. O.

COMMENT Do you have any comments about the survey or questionnaire?

[CONSIGNE CATI ET CAWI](#) :

Please note that all comments will be taken into consideration, but the Institut de la statistique du Québec will not contact any of the participants who leave feedback.

- 1 Leave feedback
- 2 Do not leave a feedback

[\[T8_Fin\]](#) - [\[T9_Début\]](#)

RAPP The study report will be published on the website of the Institut de la statistique du Québec in April 2026. Do you want us to send you an email when the results become available?

- 1 Yes → [CRAPP](#)
- 2 No → [MERC](#)
- 8 Don't know → [MERC](#)
- 9 Refuse to answer → [MERC](#)

CRAPP You only need to give us your e-mail address. It will be kept for the sole purpose of informing you when the findings are published, and will not be linked to your completed questionnaire


CONSIGNE CATI : Épeler les lettres du courriel et s'assurer de ne pas faire de faute

Courriel : _____

[T9_Fin] - [T10_Début]

MERCI This concludes the questionnaire. On behalf of the Institut de la statistique du Québec, I [CATI] / we [CAWI] would like to thank you for your co-operation.

[T10_Fin]



« Une organisation
statistique performante
au service d'une société
québécoise en évolution »

statistique.quebec.ca