

Enquête québécoise sur le cannabis 2026

Questionnaire anglais

Février 2026



Document réalisé à l'Institut de la statistique du Québec.

Avec la collaboration du ministère de la Santé et des Services sociaux, de l'Institut national de santé publique du Québec et des partenaires de l'Université d'Ottawa et du Centre de recherche du CHUM.

Pour tout renseignement concernant
le contenu de cette publication :

Direction des enquêtes de santé
Institut de la statistique du Québec
1200, avenue McGill College, bureau 500
Montréal (Québec) H3B 4J8
Téléphone :
514 873-4749
1 800 463-4090 (Canada et États-Unis)
Site Web : statistique.quebec.ca

Ce document est disponible seulement en version électronique.

Note : Les questions du présent questionnaire sont protégées par le droit d'auteur. L'utilisation de toute question du présent questionnaire n'est permise qu'à des fins de consultation personnelle. L'utilisateur est entièrement responsable de s'assurer que toute autre utilisation qu'il entend faire d'une question du présent questionnaire soit permise ou autorisée par le titulaire des droits sur cette question.

Notice bibliographique suggérée

INSTITUT DE LA STATISTIQUE DU QUÉBEC (2027). *Enquête québécoise sur le cannabis 2026. Questionnaire anglais*, [En ligne], Québec, L'Institut, 36 p., [statistique.quebec.ca/en/fichier/enquete-quebecoise-sur-le-cannabis-2026-egc-questionnaire.pdf].

© Gouvernement du Québec, Institut de la statistique du Québec, 2026

Toute reproduction autre qu'à des fins de consultation personnelle est interdite sans l'autorisation du gouvernement du Québec.

statistique.quebec.ca/fr/institut/nous-joindre/droits-auteur-permission-reproduction

Octobre 2026

In accordance with the Institut de la statistique du Québec's (ISQ) social statistics practices, gender was measured in the introduction of this survey. For more information about this measure, please refer to our webpage on taking gender into account in surveys, at: statistique.quebec.ca/en/institut/methodology/classifications-and-definitions/methodology-taking-gender-into-account.

[T1_Début]

Préambule 1 In this study when we use the term cannabis, this includes **marijuana** (pot, weed), **hashish** (hash), **liquid extracts or concentrates** (cannabis oil), **solid extracts or concentrates** (shatter, budder, wax) or any other products made from the cannabis plant, but not synthetic cannabinoids (Spice, K2, Yucatan Fire, etc.) ①.

INSTRUCTION CATI / ① CAWI: Synthetic cannabinoids are manufactured in laboratories and are often sprayed onto dried plant material, mimicking certain effects of cannabis.

When we ask about cannabis use, this includes smoking it, vaping it, eating it in an edible product, or consuming it in any other way, whether for medical or non-medical purposes.

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, MainInfo. Adapté par l'ISQ.

Section 1 – Perceptions and attitudes towards psychoactive substances

Préambule 2 Let's start with some questions you must answer based on **your personal opinion**.

(PERC_RISQ) In your opinion, how much do people risk harming themselves when they use cannabis...

INSTRUCTION CATI: Read all the response choices.

		No risk	Slight risk	Moderate risk	Great risk	Don't know	Refuse to answer
PERC_RISQ_O	occasionally, that is, less than once a week?	1	2	3	4	8	9
PERC_RISQ_R	regularly, that is, once a week or more often?	1	2	3	4	8	9

Source : Santé Canada. *Enquête canadienne sur le tabac, l'alcool et les drogues chez les élèves* (ECTADÉ), 2016-2017, question Q54. Adaptée par l'ISQ.

PROP_ENTOUR In your opinion, how many people you know (friends, acquaintances, colleagues and family members) use cannabis (occasionally or regularly)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 All of them
- 2 Most of them
- 3 About half of them
- 4 Some of them
- 5 None of them
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, questions Q4 et Q5. Adaptées par l'ISQ.

(PERC_R_SPA) In your opinion, what is the level of risk to people's health when they...

INSTRUCTION CATI: Read all the response choices.

		No risk	Slight risk	Moderate risk	High risk	Don't know	Refuse to answer
P_R_FUMEC	smoke cannabis?	1	2	3	4	5	9
P_R_VAPC	vape cannabis (e.g. with an e-cigarette, a wax pen)	1	2	3	4	5	9
P_R_MANG EC	eat or drink cannabis edibles or beverages?	1	2	3	4	5	9
P_R_ALCO	drink alcohol?	1	2	3	4	5	9
P_R_FUMET	smoke tobacco?	1	2	3	4	5	9
P_R_VAPN	vape nicotine products?	1	2	3	4	5	9

Source : BC Stats. *BC Cannabis Use Survey*, 2021, question U021b. Adaptée par l'ISQ.

[T1_Fin] - [T2_Début]

Section 2 – Cannabis use

Préambule 3 Remember that when we ask about cannabis use, we are referring to its use in any manner, for medical or non-medical purposes.

CONSO_VIE During your lifetime, have you ever used cannabis?

- 1 Yes
- 2 No → [Préambule 6](#)
- 8 Don't know → [Préambule 6](#)
- 9 Refuse to answer → [Préambule 6](#)

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q11a. Adaptée par l'ISQ.

AGE_INI_CONT How old were you when you first used cannabis?

- Enter age [Min = 8 ; Max = âge au moment de l'enquête] → [CONSO_CAN](#)
- 998 Don't know
 - 999 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q15. Adaptée par l'ISQ.

[\[Message de validation de AGE_INI_CONT vs. âge au moment de l'enquête\]](#)

AGE_INIT_C Could you indicate which age category you were in when you first used cannabis?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Under 12 years
- 02 12 to 15 years
- 03 16 to 17 years
- 04 18 to 20 years
- 05 21 to 24 years
- 06 25 to 29 years
- 07 30 to 34 years
- 08 35 years or over
- 98 Don't know
- 99 Refuse to answer

[\[Affichage conditionnel à l'âge à l'enquête\]](#)

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2021, question Q9b.

CONSO_CAN In the past 12 months, have you used cannabis?

- 1 Yes
- 2 No → [ASSIST_INQ](#)
- 8 Don't know → [ASSIST_INQ](#)
- 9 Refuse to answer → [ASSIST_INQ](#)

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q16. Adaptée par l'ISQ.

FREQ_CONSO In the **past 12 months**, how often did you use cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q17. Adaptée par l'ISQ.

(M_CONSO) In the **past 12 months**, did you use the following methods to consume cannabis (the method is the way the cannabis is consumed)?

		Yes	No	Don't know	Refuse to answer
M_FUME	You smoked it in a joint, bong, pipe or blunt	1	2	8	9
M_DABB	You dabbed it, including with a hot knife, needle or nail	1	2	8	9
M_VAPOT	You vaped it (e.g. with an e-cigarette, a wax pen)	1	2	8	9
M_VAPOR	You vaporized it (e.g. with a stationary vaporizer or a portable vaporizer)	1	2	8	9
M_MANGE	You ate it in food (e.g. brownies, cakes, cookies, candy)	1	2	8	9
M_BU	You drank it (tea, soda, alcohol or other drinks)	1	2	8	9
M_PILULE	You ingested it as a pill, softgel or capsule	1	2	8	9
M_GOUTTE	You consumed it as oral drops or with an oral spray	1	2	8	9

Sources : Santé Canada, *Enquête canadienne sur le cannabis* (ECC), 2017, question Q23, et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question CAN_Q032. Adaptées par l'ISQ.

M_AUTRE In the **past 12 months**, did you use any other method than those previously mentioned to consume cannabis (the method is the way the cannabis is consumed)?

- 1 Yes, please specify (O_M_AUTREM1)
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q23. Adaptée par l'ISQ.

Filtre 1.

Si M_FUME = 1 → [FREQ_M_FUME](#)

Sinon → [Filtre 2](#)

FREQ_M_FUME In the **past 12 months**, how often did you smoke cannabis in a joint, bong, pipe or blunt?

INSTRUCTION CATI: [Read all the response choices.](#)

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

FUME_JPT Most pre-rolled joints only include dried flowers or leaves, but some are infused with cannabis oils or contain flowers mixed with cannabis concentrates to increase the strength. These products are sometimes called "infused" pre-rolls, "moonrockets", or "diamonds".

In the **past 12 months**, have you used any infused pre-rolled joints or joints that contain flowers mixed with concentrates?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2024, question PREROLL.CONCENTRATE. Adaptée par l'ISQ.

Filtre 2.

Si M_DABB = 1 → [FREQ_M_DABB](#)

Sinon → [Filtre 3](#)

FREQ_M_DABB In the **past 12 months**, how often did you inhale cannabis by dabbing, including with a hot knife, needle or nail?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 3.

Si M_VAPOT = 1 → VAPE_AGE

Sinon → Filtre 5

VAPE_AGE You indicated that you have vaped cannabis. How old were you when you first **vaped** cannabis?

Enter age [Min = 8 ; Max = âge au moment de l'enquête]

998 Don't know

999 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q15. Adaptée par l'ISQ.

[Message de validation de VAPE_AGE vs. âge au moment de l'enquête]

FREQ_M_VAPOT In the **past 12 months**, how often did you vape cannabis (e.g. with an e-cigarette, a wax pen)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

VAPE_CONT In the **past 12 months**, what type of cannabis product did you mainly **vape**?

INSTRUCTION CATI: Read all the response choices.

- 1 Product(s) containing solely THC
- 2 Product(s) containing more THC than CBD
- 3 Product(s) containing as much THC as CBD
- 4 Product(s) containing more CBD than THC
- 5 Product(s) containing solely CBD
- 6 **You don't know [CATI] / I don't know [CAWI]**
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q16.

VAPE_P_THC In the **past 12 months**, what was the THC concentration of the cannabis products you mainly **vaped**?

- 1 Answer in %: → O_VAPE_THC_P
- 2 Answer in mg/g: → O_VAPE_THC_G
- 3 **You don't know [CATI] / I don't know [CAWI]**
- 9 Refuse to answer

O_VAPE_THC_P _____ [Min = 1 ; Max = 99]
999 Refuse to answer

O_VAPE_THC_G _____ [Min = 1 ; Max = 99]
999 Refuse to answer

Source : Institut de la statistique du Québec et ministère de la Santé et des Services sociaux, *Enquête québécoise sur le tabac et les produits de vapotage* (EQTPV), 2020, question Q41, Adaptée par l'ISQ.

(VAPE_SOURCE) In the **past 12 months**, where did you get the cannabis products you **vaped**?

		Yes	No	Don't know	Refuse to answer
VAPE_SOURCE1	From a family member or a friend (purchased or shared among a group of friends, for example)	1	2	8	9
VAPE_SOURCE7	At the Société québécoise du cannabis (SQDC), online or in store	1	2	8	9
VAPE_SOURCE2	From an official retailer in a province other than Québec, in person	1	2	8	9
VAPE_SOURCE6	From a business or store located in an Indigenous community, online or in person	1	2	8	9
VAPE_SOURCE4	Via Internet , from a source other than the SQDC, other than a producer selling cannabis for medical purposes (intended for users who have a medical authorization), or other than an Indigenous store	1	2	8	9
VAPE_SOURCE3	From a dealer or on the black market, in person	1	2	8	9
VAPE_SOURCE5	Other, please specify: (O_VAPE_AUTREM1)	1	2	8	9

Sources : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question LIQUIDVAPE.SOURCE1 et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2024, question SOURCE_SOC. Adaptées par l'ISQ.

Filtre 4.

Si âge au moment de l'enquête ≥ 21 ou âge manquant → PART_V_SQDC

Sinon Filtre 5

PART_V_SQDC Since the introduction of cannabis vaping products at SQDC (in November 2025), what percentage of the cannabis vaping products you have **purchased** came from SQDC (either online or in store)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 0%
- 2 1% to 24%
- 3 25% to 49%
- 4 50% to 74%
- 5 75% to 99%
- 6 100%
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q18. Adaptée par l'ISQ.

Filtre 5.

Si M_VAPOR = 1 → FREQ_M_VAPOR

Sinon → Filtre 6

FREQ_M_VAPOR In the **past 12 months**, how often did you inhale cannabis after vaporization (e.g. with a stationary vaporizer or a portable vaporizer)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 6.

Si M_MANGE = 1 → FREQ_M_MANGE

Sinon → Filtre 7

FREQ_M_MANGE In the **past 12 months**, how often did you eat cannabis edibles (e.g. brownies, cakes, cookies, candy)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 7.

Si M_BU = 1 → FREQ_M_BU

Sinon → Filtre 8

FREQ_M_BU In the **past 12 months**, how often did you drink cannabis products (tea, soda, alcohol or other drinks)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 8.

Si M_PILULE = 1 → FREQ_M_PILUL

Sinon → Filtre 9

FREQ_M_PILUL In the **past 12 months**, how often did you ingest cannabis as a pill, softgel or capsule?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Filtre 9.

Si M_GOUTTE = 1 → FREQ_M_GOUTT

Sinon → Préambule 4

FREQ_M_GOUTT In the **past 12 months**, how often did you consume cannabis as oral drops or with an oral spray?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Less than 1 day per month
- 2 1 day per month
- 3 2 to 3 days per month
- 4 1 to 2 days per week
- 5 3 to 4 days per week
- 6 5 to 6 days per week
- 7 Daily
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q24b. Adaptée par l'ISQ.

Préambule 4 The next questions are about the cannabis you used, in general, in the **past 12 months**.

CAN_CONT In the **past 12 months**, what did you mainly use...?

INSTRUCTION CATI: Read all the response choices.

- 1 Product(s) containing solely THC
- 2 Product(s) containing more THC than CBD
- 3 Product(s) containing as much THC as CBD
- 4 Product(s) containing more CBD than THC
- 5 Product(s) containing solely CBD
- 6 **You don't know [CATI] / I don't know [CAWI]**
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2019, question Q31. Adaptée par l'ISQ.

[T2_Fin] - [T3_Début]

(SOURCE) In the **past 12 months**, where did you get the cannabis you used?

		Yes	No	Don't know	Refuse to answer
S_CULTIVE	It was grown by you [CATI] / by me [CAWI]	1	2	8	9
S_AMI	From a family member or a friend (purchased or shared among a group of friends, for example)	1	2	8	9
S_SQDC	At the Société québécoise du cannabis (SQDC), online or in store	1	2	8	9
S_PROV	From an official retailer in a province other than Québec, in person	1	2	8	9
S_AUTOCH	From a business or store located in an Indigenous community, online or in person	1	2	8	9
S_INTER	Via Internet , from a source other than the SQDC, other than a producer selling cannabis for medical purposes (intended for users who have a medical authorization), or other than an Indigenous store	1	2	8	9
S_DEAL	From a dealer or on the black market, in person	1	2	8	9

S_AUTRE In the **past 12 months**, have you obtained cannabis from a source other than those mentioned previously?

- 1 Yes, please specify (O_S_AUTREM1)
- 2 No
- 8 Don't know
- 9 Refuses to answer

Sources : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2018, question CANNABIS.SOURCE1 et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2024, question SOURCE_SOC. Adaptées par l'ISQ.

Filtre 10.

Si S_AMI = 1 → SOURCE_SOC

Sinon Filtre 11

(SOURCE_SOC) You mentioned having obtained cannabis from a family member or a friend in the **past 12 months**. Where did this person get the cannabis they provided to you? Don't forget that your answers are strictly confidential.

INSTRUCTION CATI: This question is about all the times the respondent obtained cannabis from a family member or a friend in the past year.

INSTRUCTION CAWI: Think about all the times this has happened in the past year.

		Yes	No	You don't know [CATI] / I don't know [CAWI]	Refuse to answer
SSOC_SQDC	At the Société québécoise du cannabis (SQDC), online or in store	1	2	3	9
SSOC_PROV	From an official retailer in a province other than Québec, in person	1	2	3	9
SSOC_RES	From a business or store located in an Indigenous community, online or in person	1	2	3	
SSOC_INT	Via Internet , from a source other than the SQDC, other than a producer selling cannabis for medical purposes (intended for users who have a medical authorization), or other than an Indigenous store	1	2	3	9
SSOC_ILL	From a dealer or on the black market, in person	1	2	3	9
SSOC_CUL	It was grown by this person	1	2	3	9
SSOC_AUT	Other, please specify: (O_SSOC_AUT_OM1)	1	2	--	9

Sources : Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question CANNABIS.SOURCE.FRIEND et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2024, question SOURCE_SOC. Adaptées par l'ISQ.

Filtre 11.

Si âge au moment de l'enquête ≥ 21 ou âge manquant $\rightarrow$ PART_SQDC

Sinon NOUV_VAPOT1

PART_SQDC In the **past 12 months**, what percentage of the cannabis you **purchased** came from the SQDC?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 0%
- 2 1% to 24%
- 3 25% to 49%
- 4 50% to 74%
- 5 75% to 99%
- 6 100%
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2019, question Q18. Adaptée par l'ISQ.

NOUV_VAPOT1 Has the introduction of cannabis vaping products at SQDC (in November 2025) impacted your cannabis use? This impact could be related to quantity, frequency, or method of consumption.

- 1 Yes
- 2 No → [CONSO_JOUR](#)
- 8 Don't know → [CONSO_JOUR](#)
- 9 Refuse to answer → [CONSO_JOUR](#)

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2026.

[\[T3_Fin\]](#) - [\[T4_Début\]](#)

CONSO_JOUR In the **past 12 months**, how often did you use cannabis just before your work or study day or while working or studying (in person or remotely)?

INSTRUCTION CATI: Read all the response choices.

- 1 Never
- 2 Sometimes
- 3 Often
- 4 Always or almost always
- 5 [Not applicable, you did not work or you did not study \[CATI\]](#) / [Not applicable, did not work or did not study \[CAWI\]](#)
- 8 Don't know
- 9 Refuse to answer

Source : Inspirée de Hammond, D., et autres. *International Cannabis Policy Study* (ICPS), 2018, questions USE.CURRENTWORK et USE.SCHOOL.

CAN_30 Let's now focus on the past month. Over the **past 30 days**, how often have you used cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Every day
- 2 Not every day, but at least once a week
- 3 Less than once a week, but at least once in the past 30 days
- 4 Never
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q10A. Adaptée par l'ISQ.

Ne pas diffuser

Section 3 – Effects of cannabis use

Préambule 5 The next questions are about your cannabis use in the **past 3 months**.

CONSO_CAN3 During the **past 3 months (90 days)**, how often did you use cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Never → ASSIST_INQ
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_DESIR During the **past 3 months**, how often have you had a strong desire or urge to use cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_PB During the **past 3 months**, how often has your use of cannabis led to health, social, legal or financial problems?

INSTRUCTION CATI: Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_INCAP During the **past 3 months**, how often have you failed to do what was normally expected of you because of your use of cannabis?

INSTRUCTION CATI: Read all the response choices.

- 1 Never
- 2 Once or twice
- 3 Monthly
- 4 Weekly
- 5 Daily or almost daily
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_INQ During your lifetime, has a friend or relative or anyone else ever expressed concern about your use of cannabis?

INSTRUCTION CATI: Read all the response choices. Read slowly.

This question may seem not to apply to you, but I have to ask everyone. Answer to the best of your ability.

- 1 No, never
- 2 Yes, but not in the **past 3 months**
- 3 Yes, in the **past 3 months**
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

ASSIST_CTRL During your lifetime, have you ever tried, and failed, to control, cut down or stop using cannabis?

INSTRUCTION CATI: Read all the response choices. Read slowly.

This question may seem not to apply to you, but I have to ask everyone. Answer to the best of your ability.

- 1 No, never
- 2 Yes, but not in the **past 3 months**
- 3 Yes, in the **past 3 months**
- 8 Don't know
- 9 Refuse to answer

Source : *The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)*: manual for use in primary care. Geneva, World Health Organization, 2010 (The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST v3.0). Adapté par l'ISQ.

AIDE_BESOIN2 During your lifetime, have you ever felt that you needed help because of your cannabis use (e.g., support group, mobile app, support line, employee support program, specialized treatment)?

INSTRUCTION CATI: Read all the response choices.

- 1 No, never
- 2 Yes, but not in the past 12 months
- 3 Yes, in the past 12 months
- 8 Don't know
- 9 Refuse to answer

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2021, question Q70. Adaptée par l'ISQ.

(AIDE) During your lifetime, have you ever received help for your cannabis use from...

INSTRUCTION CATI: Read all the response choices.

		No, never	Yes, but not in the past 12 months	Yes, in the past 12 months	Don't know	Refuse to answer
AIDE_PROF_R	the healthcare system (e.g., medical clinic, CLSC, hospital, addiction rehabilitation center)?	1	2	3	8	9
AIDE_AUTRE	another type of resource such as a support group, a mobile app, a support line, an employee assistance program, housing for people with addiction, etc.?	1	2	3	8	9

Sources : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2021, question Q71 et Hammond, D. au nom de l'équipe de recherche de l'ICPS. *International Cannabis Policy Study* (ICPS), 2022, question PAST3MOS.WHERE1. Adaptées par l'ISQ.

Filtre 12.

Si CONSO_CAN = 1 → JUGE

Sinon → Préambule 6

JUGE Currently, how often do you feel negatively judged by other people because you use cannabis?

INSTRUCTION CATI: Read all the response choices

- 1 Often
- 2 Sometimes
- 3 Rarely
- 4 Never
- 5 You don't know [CATI] / I don't know [CAWI]
- 9 Refuse to answer

Source : Santé Canada. *Enquête standard par panel de vapoteurs*, 2020, question 43b. Adaptée par l'ISQ.

[T4_Fin] - [T5_Début]

Ne pas diffuser

Section 4 – Use of substances other than cannabis

Préambule 6 The next questions are about your use of substances other than cannabis.

CONSO_OH In the **past 12 months**, how often did you drink alcoholic beverages?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Never
- 02 Less than once a month
- 03 Once a month
- 04 2 to 3 times a month
- 05 Once a week
- 06 2 to 3 times a week
- 07 4 to 6 times a week
- 08 Everyday
- 98 Don't know
- 99 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question ALC_Q015.

Filtre 13.

Si CONSO_CAN = 1 ET CONSO_OH = 2, 3, 4, 5, 6, 7, 8 → COMB_OH

Si CONSO_CAN = 1 ET CONSO_OH = 1, 98, 99 → COMB_TABAC

Sinon → Préambule 7

(CONSO_COMB) In the **past 12 months**, how often did you use the following substances in combination with cannabis (that is, at the same time as cannabis)?

INSTRUCTION CATI: Read all the response choices. Based on previous editions, it can be useful to repeat “in combination with cannabis” after naming the substance in question.

		Never	Rarely	Sometimes	Often	Always	Don't know	Refuse to answer
COMB_OH	Alcohol	1	2	3	4	5	8	9
COMB_TABAC	Tobacco or nicotine in all forms (smoked or in an e-cigarette, mixed with cannabis or not)	1	2	3	4	5	8	9
COMB_OPIO	Opiates or opioids (prescribed or not) (e.g. oxycodone, Dilaudid®, morphine, Demerol®, fentanyl, methadone,	1	2	3	4	5	8	9

Enquête québécoise sur le cannabis 2026
Questionnaire anglais

		Never	Rarely	Sometimes	Often	Always	Don't know	Refuse to answer
	buprenorphine, medications containing codeine)							
COMB_STIMUL	Stimulants (prescribed or not) (e.g. Ritalin®, Concerta®, Adderall®, Dexedrine®, Vyvanse®, cocaine, crack, amphetamine, methamphetamine)	1	2	3	4	5	8	9
COMB_SEDA	Sedatives or tranquilizers (prescribed or not) (e.g. "benzo" such as diazepam, lorazepam, Valium®, Ativan®, alprazolam, Xanax®, clonazepam, Rivotril®)	1	2	3	4	5	8	9
COMB_DROGUE	Other illegal drug or substance	1	2	3	4	5	8	9

Source : Santé Canada. *Enquête canadienne sur le cannabis* (ECC), 2017, question Q50. Adaptée par l'ISQ.

Filtre 14.

Si COMB_DROGUE = 2, 3, 4 ou 5 → COMB_AUTRE

Sinon → Préambule 7

COMB_AUTRE You reported using another illegal drug or substance in combination with cannabis **in the past 12 months**. What was this drug or substance?

1 _____ (O_SUBST)

8 Don't know

9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2026.

[T5_Fin] - [T6_Début]

Préambule 7 The next questions are about the use of cigarettes. These questions do not apply to other tobacco or vaping products or to electronic cigarettes. They apply only to cigarettes that are bought ready-made or that you make yourself.

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, préambule SS_R10. Adapté par l'ISQ.

CIG_1 Have you smoked at least 100 cigarettes (about 4 packs) in your lifetime?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question SMK_Q020. Adaptée par l'ISQ.

CIG_3 In the **past 30 days**, how often did you smoke cigarettes?

INSTRUCTION CATI: Read all the response choices.

This question may seem not to apply to you, but I have to ask everyone.

- 1 Every day
- 2 Not every day, but at least once a week
- 3 Less than once a week, but at least once in the past 30 days
- 4 Never
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q10A. Adaptée par l'ISQ.

Préambule 8 The next questions are about vaping, more specifically about the use of electronic cigarettes with or without nicotine; **cannabis vaping is excluded**. Electronic cigarettes are also known as: vapes, mods, vape pens.

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, préambule VAP-R05. Adaptée par l'ISQ.

VAP_5 In the **past 30 days**, how often did you vape?

INSTRUCTION CATI: Read all the response choices.

- 1 Every day → [VAP_13](#)
- 2 Not every day, but at least once a week → [VAP_13](#)
- 3 Less than once a week, but at least once in the past 30 days → [VAP_13](#)
- 4 Never → [Préambule 9](#)
- 8 Don't know → [Préambule 9](#)
- 9 Refuse to answer → [Préambule 9](#)

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q10. Adaptée par l'ISQ.

VAP_13 What type of vaping device or electronic cigarette do you use most often?

INSTRUCTION CATI: Read all the response choices.

- 1 Disposable device (not refillable or rechargeable)
- 2 Device with pre-filled disposable cartridges (pods)
- 3 Device with a tank that can be filled with liquid
- 8 Don't know
- 9 Refuse to answer

Source : Hammond et autres (2018), *Youth Tobacco and E-Cigarette Survey: Technical Report – Wave 1*, 2017, question ET_USUAL.

VAP_15 How do you usually get your vaping **devices** and your vaping **liquids** or disposable **cartridges**?

INSTRUCTION CATI: Read all the response choices.

- 1 You buy them at a vape shop (in person, not online) [CATI] / I buy them at a vape shop (in person, not online) [CAWI]
- 2 You buy them at a convenience store (dépanneur), smoke shop (tabagie), or gas station [CATI] / I buy them at a convenience store (dépanneur), smoke shop (tabagie), or gas station [CAWI]
- 3 You buy them at a superstore (e.g., Giant Tiger) [CATI] / I buy them at a superstore (e.g., Giant Tiger) [CAWI]
- 4 You buy them at a grocery store or supermarket [CATI] / I buy them at a grocery store or supermarket [CAWI]
- 5 You order them online (i) [CATI] / I order them online (i) [CAWI]
- 6 You buy them from a friend, acquaintance, or family member [CATI] / I buy them from a friend, acquaintance, or family member [CAWI]
- 7 You borrow them from (or share with) a friend, acquaintance, or family member [CATI] / I borrow them from (or share with) a friend, acquaintance, or family member [CAWI]
- 8 Other, please specify: _____ (O_VAP_15_1)
- 98 Don't know
- 99 Refuse to answer

(i) Online stores, through social networks, etc.

Sources : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, questions VAP_Q40 et VAP_Q41 et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question ELC_Q170. Adaptées par l'ISQ.

VAP_16 Which flavour do you vape **most often**?

INSTRUCTION CATI : Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 1 Tobacco
- 2 Fruit
- 3 Candy or dessert
- 4 Mint or menthol
- 5 Coffee or tea
- 6 Alcohol
- 7 Unflavoured
- 97 Other, please specify (O_VAP_16)
- 98 Don't know
- 99 Refuse to answer

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q30. Adaptée par l'ISQ.

VAP_AJOUT In the **past 30 days**, have you used any product to add flavour to the vaping liquid you use (flavour enhancer, flavour shots, flavour boost, etc.)?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : Institut de la statistique du Québec, *Enquête québécoise sur le cannabis* (EQC), 2026.

Préambule 9. The next question asks about products containing nicotine.

PN_1 In the **past 30 days**, how often have you used nicotine pouches (e.g., ZYN, ZONNIC, FRENZY, etc.)?

INSTRUCTION CATI: Read all the response choices.

- 1 Every day
- 2 Not every day, but at least once a week
- 3 Less than once a week, but at least once in the past 30 days
- 4 Never
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question OTP_Q05D. Adaptée par l'ISQ.

[T6_Fin] - [T7_Début]

Section 5 – General and mental health

Préambule 10 There are several links between health and the use of certain substances. The next questions are about various aspects of your physical, mental and social health. They are asked of all participants, regardless of the answers provided up to this point.

SANTE In general, would you say your health is...?

INSTRUCTION CATI: Read all the response choices.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN_Q005.

SATISF_VIE How do you feel about your life as a whole right now using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied"?

00 Very dissatisfied

01

02

03

04

05

06

07

08

09

10 Very satisfied

98 Don't know

99 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN_Q010. Adaptée par l'ISQ.

S_MENTAL In general, would you say your mental health is...?

INSTRUCTION CATI: Read all the response choices.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sur la santé dans les collectivités canadiennes* (ESCC), 2015-2016, question GEN_Q015.

Let us now talk about the **past month**.

KESSLER_1 During the **past month**, about how often did you feel nervous?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_2 During the **past month**, about how often did you feel hopeless?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_3 During the **past month**, about how often did you feel restless or fidgety?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_4 During the **past month**, about how often did you feel so depressed that nothing could cheer you up?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_5 During the **past month**, about how often did you feel that everything was an effort (so tired that everything was an effort)?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

KESSLER_6 During the **past month**, about how often did you feel worthless?

INSTRUCTION CATI: Read all the response choices.

- 1 All the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 8 Don't know
- 9 Refuse to answer

Source : Kessler et al., 2003, Kessler Psychological Distress Scale (K6).

Message de fin de section CATI :

(This information is provided to everybody). We are aware that our questionnaire deals with topics that can be difficult for some people. If you need help, you can call 811, the Info-Santé / Info-Social number. This service is free and is available from anywhere in Québec, 24/7.

INSTRUCTION: 811 isn't just a service that allows you to speak with a nurse. You can also get a referral to organizations in your region for the social problem you would like to get help for.

Message de fin de section CAWI :

This questionnaire deals with topics that could be difficult for some people. If you need help, you can call 811, the Info-Santé / Info-Social number ①. This service is free and is available from anywhere in Québec, 24/7.

① CAWI: 811 isn't just a service that allows you to speak with a nurse. You can also get a referral to organizations in your region for the social problem you would like to get help for. Please note that information is provided to everybody.

[T7_Fin] - [T8_Début]

Section 6 – Respondent profile

Préambule 11 We are now coming to the last part of the questionnaire. Your answers will be used solely for statistical purposes.

NE_CAN Were you born in Canada?

- 1 Yes → LAN_P
- 2 No → AN_NE_CAN
- 8 Don't know → LAN_P
- 9 Refuse to answer → LAN_P

Source : S. O.

AN_NE_CAN How many years have you lived in Canada?

INSTRUCTION CATI: Read all the response choices.

- 1 Less than 5 years
- 2 5 to 10 years
- 3 More than 10 years
- 8 Don't know
- 9 Refuse to answer

Source : S. O.

LAN_P What language do you speak most often at home?

INSTRUCTION CATI: Read all the response choices. If you speak two languages equally as often, check both answers.

Ⓢ **CAWI:** If you speak two languages equally as often, check both answers.

- 1 French
- 2 English
- 3 Other
- 8 Don't know
- 9 Refuse to answer

Source : S. O.

N_MENAGE Including yourself, how many people live in your household (home)? Please include all persons living at least 40% of the time in the household.

INSTRUCTION CATI / Ⓢ CAWI: "40% of the time" means that they live with you, for example, every other week OR about 3 days a week OR 6 days every 2 weeks OR 12 days a month OR 5 months of the year. This excludes children who are only there every other weekend. In the case of a child in shared custody, consider how much time the child really lives in your home and not what the legal judgment says.

Specify [Min = 1 ; Max = 20]

- 98 Don't know
- 99 Refuse to answer

Source : S. O.

Filtre 15.

Si N_MENAGE = 1 → Q_MENAGE = codé 01 → Préambule 13

Sinon → Q_MENAGE

Q_MENAGE Which type of situation best describes the current composition of your household (home)?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Person lives alone in the household [Choix n'apparaissant que si N_MENAGE = 98,99. Choix sélectionné automatiquement si N_MENAGE = 1]
- 02 Couple without children in the same home [Choix n'apparaissant pas si N_MENAGE > 2]
- 03 Couple with a child or children (children of any age) in the same home [Choix n'apparaissant pas si N_MENAGE = 2]
- 04 Single-parent family (children of any age)
- 05 Family with other people (relatives or non-relatives) [Choix n'apparaissant pas si N_MENAGE = 2]
- 06 Related persons only (brothers, sisters, etc.)
- 07 Unrelated persons only (roommates)
- 08 Other (multiple families, etc.)
- 98 Don't know
- 99 Refuse to answer

Source : S. O.

Préambule 12 The next two questions will be used to gather the necessary information to better understand the perceptions and experiences of various population groups in Québec regarding cannabis.

ID_SEX What is your sexual orientation? ① Would you say you are:

INSTRUCTION CATI: Read all the response choices. Remind the respondent that the purpose of this question is to find out how they identify themselves.

INSTRUCTION CATI / ① CAWI: **Why is there a question about sexual orientation?**

Health inequities exist for people who are part of the sexual and gender diversity community. It is particularly important to include questions about this in surveys, because it is necessary to know the experiences and perceptions of a diverse group of people to reduce health inequalities.

- 1 Heterosexual
- 2 Gay or lesbian
- 3 Bisexual
- 4 Or please specify (O_ID_SEXM1)
- 8 Don't know
- 9 Refuse to answer

Source : Enquête sur la santé dans les collectivités canadiennes (ESCC), 2022, question SOR_Q01. Adaptée par l'ISQ.

AUT Are you an Indigenous person? Indigenous people include First Nations and Inuit.

INSTRUCTION CATI - @ CAWI:

Why a question about Indigenous identity?

It is important to ask this question in order to take into account all population groups in health statistics and prevention programs, as certain groups are underrepresented in health studies.

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : *Enquête sociale générale – Famille* (ESG), 2017, question AMB_Q01. Adaptée par l'ISQ.

NIV_SCOL What is the highest level of education you have completed?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category. If the respondent have a degree or diploma from another country, choose its equivalent in the Québec school system.

INSTRUCTION CAWI: If you have a degree or diploma from another country, choose its equivalent in the Québec school system.

- 01 Elementary education or less (7th grade or less)
- 02 Partial high school education (8th, 9th, 10th or 11th grade, incomplete classical education/Rudiments of Latin, Syntax, Method, Versification)
- 03 High school diploma (12th grade, incomplete classical education/Literature, Rhetoric, Philosophy I)
- 04 Trade school or vocational school diploma
- 05 Business college diploma
- 06 CEGEP diploma (completed classical education/Philosophy II/Bachelor of arts/Normal School)
- 07 Undergraduate diploma or degree (certificate, minor, major, bachelor's degree)
- 08 Master's degree, Ph.D., graduate diploma
- 09 Other
- 98 Don't know
- 99 Refuse to answer

Source : S. O.

OCCUP In the **past 12 months**, what was your **main** occupation?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 A full-time worker
- 02 A part-time worker (less than 30 hours)
- 03 Student
- 04 Retired
- 05 At home (keeping house)
- 06 On maternity or paternity leave
- 07 On unemployment insurance
- 08 On social welfare insurance
- 09 On disability or sick leave
- 10 Other
- 98 Don't know
- 99 Refuse to answer

Source : S. O.

REVENU_CONT There continues to be an important link between income and health. We would appreciate if you respond to the following question which would allow us to study this relationship. For the **past 12 months**, what was the approximate total income (gross income), from all sources before taxes and other deductions, of all the members of your household?

TEXTE QUESTION CATI et INSTRUCTION CAWI: Don't forget to include all amounts including Canada child benefits, investment income, etc.

The respondent provides an answer → CP_VALID [Min = 0 ; Max = 9 999 997]

9 999 998 Don't know → REVENU_CAT

9 999 999 Refuse to answer → REVENU_CAT

Source : S. O.

REVENU_CAT Could you then indicate in which of the following categories your household income was in?

INSTRUCTION CATI: Read all the response choices. If the respondent interrupts you while you are reading the choices, validate the category.

- 01 Less than \$10,000 → CP_VALID
- 02 \$10,000 to less than \$20,000 → REVENU_CAT1
- 03 \$20,000 to less than \$30,000 → REVENU_CAT2
- 04 \$30,000 to less than \$40,000 → REVENU_CAT3
- 05 \$40,000 to less than \$50,000 → CP_VALID
- 06 \$50,000 to less than \$60,000 → CP_VALID
- 07 \$60,000 to less than \$80,000 → CP_VALID
- 08 \$80,000 to less than \$100,000 → CP_VALID
- 09 \$100,000 to less than \$120,000 → CP_VALID
- 10 \$120,000 to less than \$140,000 → CP_VALID
- 11 \$140,000 or more → CP_VALID
- 98 Don't know → CP_VALID
- 99 Refuse to answer → CP_VALID

Source : S. O.

REVENU_CAT1 Is it more than \$15,000?

- 1 Yes → CP_VALID
- 2 No → CP_VALID
- 8 Don't know → CP_VALID
- 9 Refuse to answer → CP_VALID

Source : S. O.

REVENU_CAT2 Is it more than \$25,000?

- 1 Yes → CP_VALID
- 2 No → CP_VALID
- 8 Don't know → CP_VALID
- 9 Refuse to answer → CP_VALID

Source : S. O.

REVENU_CAT3 Is it more than \$35,000?

- 1 Yes
- 2 No
- 8 Don't know
- 9 Refuse to answer

Source : S. O.

- CP_VALID** Is your postal code <CPP>?
- 1 Yes → [COMMENT](#)
 - 2 No → [CP_INFO](#)
 - 8 Don't know → [CP_INFO](#)
 - 9 Refuse to answer → [CP_INFO](#)

Source : S. O.

- CP_INFO** What is your postal code?
- [INSTRUCTION CATI AND CAWI](#) : Exemple : H0H 0H0
- Enter postal code → [COMMENT](#)
- A8A 8A8 Don't know → [CP_3CAR](#)
- A9A 9A9 Refuse to answer → [CP_3CAR](#)

Source : S. O.

- CP_3CAR** Could you then provide the first three digits of your postal code?
- Enter the first three digits of the postal code
- A8A Don't know
- A9A Refuse to answer

Source : S. O.

- COMMENT** Do you have any comments about the survey or questionnaire?

[CONSIGNE CATI ET CAWI](#) :

Please note that all comments will be taken into consideration, but the Institut de la statistique du Québec will not contact any of the participants who leave feedback.

- 1 Leave feedback
- 2 Do not leave a feedback

[\[T8_Fin\]](#) - [\[T9_Début\]](#)

RAPP The study report will be published on the website of the Institut de la statistique du Québec in April 2027. Do you want us to send you an email when the results become available?

- 1 Yes → [CRAPP](#)
- 2 No → [MERCİ](#)
- 8 Don't know → [MERCİ](#)
- 9 Refuse to answer → [MERCİ](#)

CRAPP You only need to give us your e-mail address. It will be kept for the sole purpose of informing you when the findings are published, and will not be linked to your completed questionnaire

[CONSIGNE CATI](#) : Épeler les lettres du courriel et s'assurer de ne pas faire de faute

Courriel : _____

MERCİ This concludes the questionnaire. On behalf of the Institut de la statistique du Québec, I [\[CATI\]](#) / we [\[CAWI\]](#) would like to thank you for your co-operation.

[T9_Fin]

Ne pas diffuser

« Une organisation
statistique performante
au service d'une société
québécoise en évolution »

statistique.quebec.ca