

Québec Survey on Tobacco and Vaping Products – 2020

Questionnaire Anglais

Direction des enquêtes de santé
Juillet 2020
Mis à jour en mai 2021

SECTION : Risk perception toward the use of regular and electronic cigarettes

P1 The first questions are about your perception of the use of cigarettes and electronic cigarettes or vaping products.

INSTRUCTIONS : Electronic cigarettes are devices that heat liquids to transform them into an aerosol (or vapour) for inhalation. Unlike regular cigarettes, electronic cigarettes do not use tobacco or combustion. The liquids used in electronic cigarettes can contain nicotine or not.

Source : Gouvernement du Québec (2019, mise à jour le 21 novembre). Cigarette électronique [En ligne] <https://www.quebec.ca/sante/conseils-et-prevention/saines-habitudes-de-vie/cigarette-electronique/> (adapté par l'ISQ).

Q1 In your opinion, how much do people risk harming themselves when they do each of the following activities?

| | | No risk | Slight risk | Moderate risk | Great risk | Don't know | No response |
|------------|---|---------|-------------|---------------|------------|------------|-------------|
| Q1a | Occasionally smoking cigarettes | 1 | 2 | 3 | 4 | 8 | 9 |
| Q1b | Regularly smoking cigarettes | 1 | 2 | 3 | 4 | 8 | 9 |
| Q1c | Occasionally using an electronic cigarette (or vaping products) containing nicotine | 1 | 2 | 3 | 4 | 8 | 9 |
| Q1d | Regularly using an electronic cigarette (or vaping products) containing nicotine | 1 | 2 | 3 | 4 | 8 | 9 |
| Q1e | Occasionally using an electronic cigarette (or vaping products) that doesn't contain nicotine | 1 | 2 | 3 | 4 | 8 | 9 |
| Q1f | Regularly using an electronic cigarette (or vaping products) that doesn't contain nicotine | 1 | 2 | 3 | 4 | 8 | 9 |

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, questions POH_Q010 à POH_Q080 (questions adaptées par l'ISQ).

Q2 How harmful do you think a pregnant woman's daily exposure to tobacco smoke is for her baby's health?

- 1 Not harmful at all
- 2 Slightly harmful
- 3 Harmful
- 4 Very harmful
- 8 Don't know
- 9 No response

Source : Hammond et autres (2018), *Youth Tobacco and E-Cigarette Survey: Technical Report – Wave 1* (2017). University of Waterloo (question inspirée et adaptée par l'ISQ).

Q3 How harmful do you think a pregnant woman's daily exposure to the aerosol (or vapour) of an electronic cigarette (or vaping products) **containing** nicotine is to the health of her baby?

- 1 Not harmful at all
- 2 Slightly harmful
- 3 Harmful
- 4 Very harmful
- 8 Don't know
- 9 No response

Q4 How harmful do you think a pregnant woman's daily exposure to the aerosol (or vapour) of an electronic cigarette (or vaping products) that **does not contain** nicotine is to the health of her baby?

- 1 Not harmful at all
- 2 Slightly harmful
- 3 Harmful
- 4 Very harmful
- 8 Don't know
- 9 No response

Q5 Compared to regular cigarettes, how harmful do you think using an electronic cigarette (or vaping products) **containing** nicotine is to a person's health?

- 1 Much less harmful
- 2 Slightly less harmful
- 3 As harmful
- 4 Slightly more harmful
- 5 Much more harmful
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q60 (question adaptée par l'ISQ).

SECTION : Use of regular cigarettes

P2 The next questions are about the use of cigarettes. These questions do not apply to other tobacco products, vaping products, or electronic cigarettes. They apply only to cigarettes that are ready-made or self-made.

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, SS_R10 (adapté par l'ISQ).

Q6 Have you smoked at least 100 cigarettes (about 4 packs) in your lifetime?

- 1 Yes → Go to Q8
- 2 No
- 8 Don't know
- 9 No response

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question SMK_Q020.

Q7 Have you ever smoked an entire cigarette?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question SMK_Q025.

Q8 In the **last 30 days**, have you smoked cigarettes (even if you didn't smoke the entire cigarette)?

- 1 Yes
- 2 No → Go to Filter 1
- 8 Don't know → Go to Filter 1
- 9 No response → Go to Filter 1

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question SMK_Q010 (question adaptée par l'ISQ).

Q9 In the **last 30 days**, how often did you smoke cigarettes?

- 1 Everyday → Go to Filter 1
- 2 At least once a week, but not every day
- 3 Less than once a week, but at least once in the last 30 days
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q10A (question adaptée par l'ISQ).

Q10 In the **last 30 days**, on how many days did you smoke cigarettes (even if you didn't smoke the entire cigarette)?

- _____ [Min = 1; Max = 30]
- 998 Don't know
 - 999 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q10B-C (question adaptée par l'ISQ).

Filter 1

If Q6 = (2 or 8 or 9) OR Q9 = 1 OR Q10 == 30 → Filter 2

Else → Q11

Q11 Have you ever smoked cigarettes daily?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question SMK_Q030.

Filter 2

If Q8 = 1 → Q12

Else → Filter 4

Q12 In the **last 30 days**, on the days you smoked, how many cigarettes did you smoke on average?

_____ [Min = 1; Max = 100]

9998 Don't know

9999 No response

Q13 In the **last 30 days**, on average, how much did you spend **per week** (including the weekend) on cigarettes?

_____ [Min = 0 \$; Max = 450\$]

9998.98 Don't know

9999.99 No response

Q14 What are the main reasons you currently smoke cigarettes?

| | | Yes | No | Don't know | No response |
|-------------|---|-----|----|------------|-------------|
| Q14a | Because you like the taste and/or smell of cigarettes | 1 | 2 | 8 | 9 |
| Q14b | Because it's fun and exciting | 1 | 2 | 8 | 9 |
| Q14c | Because people around you (friends, family, etc.) smoke | 1 | 2 | 8 | 9 |
| Q14d | You smoke when you're offered an opportunity to do so | 1 | 2 | 8 | 9 |
| Q14e | Because smoking gives you a break at work, school or home | 1 | 2 | 8 | 9 |
| Q14f | To pass the time or ward off boredom | 1 | 2 | 8 | 9 |
| Q14g | To have a good time with friends or to socialize | 1 | 2 | 8 | 9 |
| Q14h | Because you're addicted to it or do it out of habit | 1 | 2 | 8 | 9 |
| Q14i | To relax or relieve stress | 1 | 2 | 8 | 9 |
| Q14j | To control your weight | 1 | 2 | 8 | 9 |
| Q14k | Other | 1 | 2 | 8 | 9 |

Sources : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question SC_Q100; Contreras A.E. et autres, Results from the Colorado Cannabis Users Survey on Health (CUSH), 2016. Int J Ment Health Addiction 18, 1–13 (2020) et Institut de la statistique du Québec, *Enquête québécoise sur le cannabis*, 2019 (questions adaptées par l'ISQ).

- Q15** Where do you most often buy your cigarettes?
- 1 In a convenience store (dépanneur), smoke shop (tabagie) or gas station
 - 2 In a department store (Costco and Giant Tiger, for example)
 - 3 In a grocery store or supermarket
 - 4 Online
 - 5 From a friend, acquaintance or family member (borrowed, shared or bought)
 - 7 Other
 - 8 Don't know
 - 9 No response

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question ELC_Q170 (question adaptée par l'ISQ).

- Q16** How addicted do you think you are to cigarettes?
- 1 Not addicted at all
 - 2 Slightly addicted
 - 3 Quite addicted
 - 4 Very addicted
 - 8 I don't know
 - 9 No response

Source : Institut de la statistique du Québec, *Enquête québécoise sur le tabac, l'alcool, la drogue et le jeu chez les élèves du secondaire* (ETADJES) 2014 (question adaptée par l'ISQ)

- Q17** Compared to before the COVID-19 (In Québec, the crisis caused by the coronavirus or COVID-19 began on March 13, 2020, with the declaration of a state of public health emergency throughout Québec) crisis in Québec, is your **current** cigarette consumption...
- 1 ...lower?
 - 2 ...higher?
 - 3 ...similar?
 - 8 Don't know
 - 9 No response

SECTION : Smoking cessation

Q18 In the **next 6 months**, are you seriously considering quitting cigarettes?

- 1 Yes
- 2 No → Go to Q21
- 8 Don't know → Go to Q21
- 9 No response → Go to Q21

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question SC_Q060 (question adaptée par l'ISQ).

Q19 In the **next 30 days**, are you seriously considering quitting cigarettes?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question SC_Q060 (question adaptée par l'ISQ).

Q20 Do you plan on using any of the following tools to help you quit cigarettes?

| | | Yes | No | Don't know | No response |
|-------------|--|-----|----|------------|-------------|
| Q20a | Pharmacological aids such as nicotine patches, nicotine gums (e.g., Nicorette), nicotine drops, Zyban, or Champix | 1 | 2 | 8 | 9 |
| Q20b | A visit to a health professional (doctor, nurse, pharmacist, etc.) | 1 | 2 | 8 | 9 |
| Q20c | A consultation with a professional from a smoking cessation centre (Smoking cessation centres are mostly found in CLSCs and offer free smoking cessation services on an individual or group basis) | 1 | 2 | 8 | 9 |
| Q20d | A telephone help line (e.g., the "I QUIT NOW" line) | 1 | 2 | 8 | 9 |
| Q20e | A website (e.g., www.iqitnow.qc.ca) | 1 | 2 | 8 | 9 |
| Q20f | A text messaging service (e.g., SMAT text help) | 1 | 2 | 8 | 9 |
| Q20g | An electronic cigarette or a vaping device | 1 | 2 | 8 | 9 |

Sources : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q45; *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question CM_Q20 et Hammond et autres (2018), *Youth Tobacco and E-Cigarette Survey: Technical Report – Wave 1* (2017). University of Waterloo (questions adaptées par l'ISQ).

Q21 Have you ever stopped smoking cigarettes **for at least 24 hours** because you were trying to quit?

- 1 Yes
- 2 No → Go to P3
- 8 Don't know → Go to P3
- 9 No response → Go to P3

Sources : *Enquête sur la santé dans les collectivités* (ESCC), 2020, question SCH2_Q015 et *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q35 (question adaptée par l'ISQ).

- Q22** When was **the last time** you tried to quit smoking? Was it...
- 1 Less than 6 months ago
 - 2 Between 6 months and less than a year
 - 3 Between a year and less than 2 years
 - 4 Between 2 years and less than 5 years → Go to P3
 - 5 5 years ago or more → Go to P3
 - 8 Don't know → Go to P3
 - 9 No response → Go to P3

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question SC_Q010 (question adaptée par l'ISQ).

- Q23** The **last time** you tried to quit smoking, during which month was it?
- 01 January
 - 02 February
 - 03 March
 - 04 April
 - 05 May
 - 06 June
 - 07 July
 - 08 August
 - 09 September
 - 10 October
 - 11 November
 - 12 December
 - 98 Don't know
 - 99 No response

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question SMK_065 (question adaptée par l'ISQ).

Filter 3

If Q8=1 AND Q22 = (1 or 2) AND Q21 = 1 → Q24
Else → Filter 5

- Q24** In the **last 12 months**, how many times have you stopped smoking cigarettes **for at least 24 hours** because you were trying to quit smoking?
- _____ [Min = 1 ; Max=365]
- 9997 out of range because answer=0
 - 9998 Don't know
 - 9999 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q35 (question adaptée par l'ISQ).

Filter 4

If Q6 = 1 AND Q8 = (2 or 8 or 9) → Q25
Else → Filter 5

Q25 When did you stop smoking cigarettes?

- 1 Less than 6 months ago
- 2 Between 6 months and less than a year
- 3 Between a year and less than 2 years
- 4 Between 2 years and less than 5 years → Go to P3
- 5 5 years ago or more → Go to P3
- 8 Don't know → Go to P3
- 9 No response → Go to P3

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question SC_Q010 (question adaptée par l'ISQ).

Q26 During which month did you stop smoking cigarettes?

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December
- 98 Don't know
- 99 No response

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question SMK_Q065 (question adaptée par l'ISQ).

Filter Q27

If Q25 = (1 or 2) → Q27

Else → Filter 5

Q27 How many times have you stopped smoking cigarettes for **at least 24 hours** because you were trying to quit? Please include the time you quit smoking permanently, if applicable.

____ [Min = 1; Max = 100]

- 9998 Don't know
- 9999 No response

Filter 5

If Q22 = (1 or 2 or 3) OR Q25 = (1 or 2 or 3) → Q28

Else → P3

Q28 [The last time you tried to quit smoking (Q22 = (1 or 2 or 3))/ When you quit smoking (Q25 = (1 or 2 or 3))], what tools did you use to help you quit?

| | | Yes | No | Don't know | No response |
|-------------|--|-----|----|------------|-------------|
| Q28a | Pharmacological aids such as nicotine patches, nicotine gums (e.g., Nicorette), nicotine drops, Zyban, or Champix | 1 | 2 | 8 | 9 |
| Q28b | A visit to a health professional (doctor, nurse, pharmacist, etc.) | 1 | 2 | 8 | 9 |
| Q28c | A consultation with a professional from a smoking cessation centre (Smoking cessation centres are mostly found in CLSCs and offer free smoking cessation services on an individual or group basis) | 1 | 2 | 8 | 9 |
| Q28d | A telephone help line (e.g., the "I QUIT NOW" line) | 1 | 2 | 8 | 9 |
| Q28e | A website (e.g., www.iqitnow.qc.ca) | 1 | 2 | 8 | 9 |
| Q28f | A text messaging service (e.g., SMAT text help) | 1 | 2 | 8 | 9 |
| Q28g | An electronic cigarette or a vaping device | 1 | 2 | 8 | 9 |

Sources : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q45; *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question CM_Q20 et Hammond et autres (2018), *Youth Tobacco and E-Cigarette Survey: Technical Report – Wave 1* (2017). University of Waterloo (questions adaptées par l'ISQ).

Filter 6

If Q28g = 1 → Q29

Else → P3

Q29 [The last time you tried to quit smoking (Q22 = (1 or 2 or 3))/ When you quit smoking (Q25 = (1 or 2 or 3))], using an electronic cigarette or vaping device, did the vaping liquid contain nicotine?

- 1 Yes
- 2 No
- 7 I don't know
- 9 No response

SECTION : Other tobacco or nicotine products

P3 The next questions are about products other than cigarettes and electronic cigarettes that contain tobacco or nicotine

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2017, question TAL_R001 (questions adaptées par l'ISQ).

Q30 In the **last 30 days**, did you smoke or use the following products?

| | | Yes | No | Don't know | No response |
|-------------|---|-----|----|------------|-------------|
| Q30a | Little cigars or cigarillos | 1 | 2 | 8 | 9 |
| Q30b | Cigars other than little cigars or cigarillos | 1 | 2 | 8 | 9 |
| Q30c | Tobacco smoked with a regular pipe | 1 | 2 | 8 | 9 |
| Q30d | Tobacco smoked with a water-pipe (shisha, nargeelay) | 1 | 2 | 8 | 9 |
| Q30e | Chewing tobacco or snuff | 1 | 2 | 8 | 9 |
| Q30f | Heated tobacco (Heat-not-burn tobacco. Heated tobacco products are devices that heat tobacco without burning it to generate an inhalation aerosol that contains nicotine and tastes like tobacco) | 1 | 2 | 8 | 9 |
| Q30g | Tobacco-free products containing nicotine (nicotine packets, but don't include nicotine patches, gums or drops) | 1 | 2 | 8 | 9 |

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2017, question TAL_Q005 (questions adaptées par l'ISQ).

SECTION : Vaping or use of electronic cigarettes

P4 The next questions are about vaping (Vaping refers to the inhalation of an aerosol (or vapour) produced by a device, such as an electronic cigarette, which heats a liquid. Unlike regular cigarettes, vaping devices work without tobacco or combustion. Liquids used in these devices can contain nicotine or not) or the use of electronic cigarettes (Electronic cigarettes are also known as: mods, pods, vapes, low electrical resistance vape (" sub-ohm " devices), vape pen, tank systems, electronic nicotine inhaler).They do not include cannabis vaping.

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, VAP-R05 (adapté par l'ISQ).

Filter 7

If Q28g = 1 → Q32

Else → Q31

Q31 Have you ever tried vaping?

- 1 Yes
- 2 No → Go to Q57
- 8 Don't know → Go to Q57
- 9 No response → Go to Q57

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q05A.

Q32 When was the first time you vaped?

- 1 Less than a year ago
- 2 Between a year and less than 2 years
- 3 Between 2 years and less than 5 years
- 4 5 years ago or more
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q05B (question adaptée par l'ISQ).

Q33 In the **last 30 days**, have you vaped?

- 1 Yes → Go to Q35
- 2 No
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues chez les élèves* (ECTADÉ), 2017, question 22 (question inspirée et adaptée par l'ISQ).

- Q34** When was the last time you vaped?
- 1 In the last 3 months → Go to Q37
 - 2 Not in the last 3 months, but in the last 6 months → Go to Q37
 - 3 Not in the last 6 months, but in the last year → Go to Q37
 - 4 Between a year and less than 5 years ago.. → Go to Q37
 - 5 5 years ago or more → Go to Q37
 - 8 Don't know → Go to Q37
 - 9 No response → Go to Q37

Source : Hammond et autres (2018), *Youth Tobacco and E-Cigarette Survey: Technical Report – Wave 1* (2017). University of Waterloo. (question inspirée et adaptée par l'ISQ).

- Q35** In the **last 30 days**, how often did you vape?
- 1 Everyday
 - 2 At least once a week, but not every day
 - 3 Less than once a week, but at least once in the last 30 days
 - 8 Don't know
 - 9 No response

Q36 In the **last 30 days**, on how many days have you vaped liquids...?

| | | Number of days | Don't know | No response |
|-------------|---|------------------|------------|-------------|
| Q36a | ... containing nicotine? | [min: 0; max:30] | 998 | 999 |
| Q36b | ...that did not contain nicotine? | [min: 0; max:30] | 998 | 999 |
| Q36c | ...for which you didn't know the content? | [min: 0; max:30] | 998 | 999 |

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, questions VAP_Q15A, Q15B, Q15C (questions adaptées par l'ISQ).

Filter 8

If (Q35 = 1 OR Q36a = 30 OR Q36b = 30 or Q36c = 30) → Filter 9
Else → Q37

- Q37** Have you ever vaped daily?
- 1 Yes
 - 2 No
 - 8 Don't know
 - 9 No response

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question SMK_Q030 (question adaptée par l'ISQ).

Filter 9

If Q33 = 1 → Q38
Else → Q57

Q38 The next question is about the number of vaping sessions per day.

In the **last 30 days**, on days you vaped, on average, how many times did you take out your vaping device (or electronic cigarette) to vape?

_____ [Min=1; Max=1000]

99998 Don't know

99999 No response

Q39 In the **last 30 days**, each time you took out your vaping device (or electronic cigarette) to vape, how many puffs did you take, on average, before putting it away?

_____ [Min=1; Max=1000]

99998 Don't know

99999 No response

Q40 In the **last 30 days**, how much vaping liquid did you use **per week** on average? Please answer in millilitres (ml).

_____ [Min=1; Max=1000]

99997 I don't know how much liquid I used

99999 No response

Filter 10

If Q36a =0 OR Q36a=(998 or 999) → Q42

Else → Q41

Q41 In the **last 30 days**, when you used vaping liquids with nicotine, what was generally the nicotine concentration?

1 Give answer in mg/ml →Go to Q41a

2 Give answer in % →Go to Q41b

7 I don't know the nicotine concentration →Go to Q42

8 Don't know →Go to Q42 9 No response →Go to Q42

Q41a _____ [Min=1; Max=70)

999.8 Don't know

999.9 No response

Q41b _____ [Min=1; Max=5)

99.8 Don't know

99.9 No response

Q42 In the **last 30 days**, how much did you spend **per week**, on average, on vaping liquids, pre-filled cartridges or disposable devices?

_____ [Min = 0 \$; Max := 450\$]

9999.97 I don't know the amount

9999.99 No response

Q43 What are the main reasons you are currently vaping?

| | | Yes | No | Don't know | No response |
|-------------|--|-----|----|------------|-------------|
| Q43a | [If Q6=1 OR Q8=1] To quit smoking | 1 | 2 | 8 | 9 |
| Q43b | [If Q6=1 AND Q8=(2 or 8 or 9)] So you don't start smoking again | 1 | 2 | 8 | 9 |
| Q43c | [If Q8=1] To reduce your tobacco consumption | 1 | 2 | 8 | 9 |
| Q43d | [If Q8=1] To have an alternative to regular cigarettes in non-smoking areas | 1 | 2 | 8 | 9 |
| Q43e | [If Q8=1] To have an alternative to regular cigarettes in some social settings where it is socially more acceptable to vape than to smoke? | 1 | 2 | 8 | 9 |
| Q43f | Because vaping is less harmful to your health than smoking | 1 | 2 | 8 | 9 |
| Q43g | Because vaping is less harmful to others than smoking | 1 | 2 | 8 | 9 |
| Q43h | Because vaping is cheaper than smoking | 1 | 2 | 8 | 9 |
| Q43i | Because vaping products are easier to buy than cigarettes | 1 | 2 | 8 | 9 |
| Q43j | Because it's easier to hide the fact that you vape than to hide that you smoke | 1 | 2 | 8 | 9 |
| Q43k | Because you like the taste and/or smell of vaping products | 1 | 2 | 8 | 9 |
| Q43l | Because it's fun and exciting | 1 | 2 | 8 | 9 |
| Q43m | Because you like doing tricks | 1 | 2 | 8 | 9 |
| Q43n | Because the people around you (friends, family, etc.) vape | 1 | 2 | 8 | 9 |
| Q43o | You vape when you're offered an opportunity to do so | 1 | 2 | 8 | 9 |
| Q43p | Because vaping gives you a break at work, school or home | 1 | 2 | 8 | 9 |
| Q43q | To pass the time or banish boredom | 1 | 2 | 8 | 9 |
| Q43r | To have a good time with friends or to socialize | 1 | 2 | 8 | 9 |
| Q43s | Because you're addicted or you do it out of habit | 1 | 2 | 8 | 9 |
| Q43t | To relax or relieve stress | 1 | 2 | 8 | 9 |
| Q43u | To control your weight | 1 | 2 | 8 | 9 |
| Q43v | Other | 1 | 2 | 8 | 9 |

Source : Hammond et autres (2018), *Youth Tobacco and E-Cigarette Survey: Technical Report – Wave 1* (2017). University of Waterloo (question adaptée par l'ISQ).

Q44 What type of vaping device or electronic cigarette do you use most of the time?

- 1 Disposable device (not reusable or refillable)
- 2 Device with pre-filled disposable cartridges (pods)
- 3 Device with a reservoir that can be filled with liquid
- 8 Don't know
- 9 No response

Source : Hammond et autres (2018), *Youth Tobacco and E-Cigarette Survey: Technical Report – Wave 1* (2017). University of Waterloo (question adaptée par l'ISQ).

Q45 What brand of vaping devices do you use most often?

- 1 Aspire
- 2 Eleaf
- 3 Innokin
- 4 Joyetech
- 5 Juul
- 6 J WELL
- 7 KangerTech
- 8 SMOK
- 9 Vaporesso
- 10 Vype
- 11 Wismec
- 12 Justfog
- 13 Blu
- 14 Logic
- 15 STLTH
- 97 Other
- 98 Don't know
- 99 No response

Sources : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q25 et *Enquête québécoise sur le tabac, l'alcool, la drogue et le jeu chez les élèves du secondaire* (ETADJES) 2019 (question adaptée par l'ISQ).

Q46 Where do you most often get... your vaping **devices**

- 1 In a vape store (in person, not online)
- 2 In a convenience store (dépanneur), smoke shop (tabagie) or gas station
- 3 In a department store (Costco and Giant Tiger, for example)
- 4 In a grocery store or supermarket
- 5 Online
- 6 From a friend, acquaintance or family member
- 7 Other, specify
- 97 Not applicable
- 98 Don't know
- 99 No response

Sources : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q40 et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question ELC_Q170 (question adaptée par l'ISQ).

Q47 Where do you most often get.....your vaping **liquids** or your **disposable cartridges**

- 1 In a vape store (in person, not online)
- 2 In a convenience store (dépanneur), smoke shop (tabagie) or gas station
- 3 In a department store (Costco and Giant Tiger, for example)
- 4 In a grocery store or supermarket
- 5 Online
- 6 From a friend, acquaintance or family member
- 7 Other, specify
- 97 Not applicable
- 98 Don't know
- 99 No response

Sources : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q41 et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question ELC_Q170 (question adaptée par l'ISQ).

Q48 Which flavour do you vape **most often**?

- 1 Tobacco
- 2 Fruit
- 3 Candy or dessert
- 4 Mint or menthol
- 5 Coffee or tea
- 6 Alcohol
- 7 Unflavoured
- 97 Other
- 98 Don't know
- 99 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question VAP_Q30 (question adaptée par l'ISQ).

Q49 How addicted do you think you are to vaping or electronic cigarettes?

- 1 Not addicted at all
- 2 A little addicted
- 3 Quite addicted
- 4 Very addicted
- 8 I don't know
- 9 No response

Source : Institut de la statistique du Québec, *Enquête québécoise sur le tabac, l'alcool, la drogue et le jeu chez les élèves du secondaire* (ETADJES) 2013 (question adaptée par l'ISQ).

Q50 Compared to when you started vaping...

...lower? ...higher? ...similar? Don't know No response

| | | 1 | 2 | 3 | 8 | 9 |
|-------------|---|---|---|---|---|---|
| Q50a | is your current use of vaping products... | 1 | 2 | 3 | 8 | 9 |
| Q50b | is the nicotine concentration of the products you currently use... | 1 | 2 | 3 | 8 | 9 |
| Q50C | [If Q8 = 1 AND Q33 = 1] is your current consumption of regular cigarettes... | 1 | 2 | 3 | 8 | 9 |

Q51 Compared to before the COVID-19 (In Québec, the crisis caused by the coronavirus or COVID-19 began on March 13, 2020, with the declaration of a state of public health emergency throughout Québec) crisis in Québec, is your **current** use of vaping products...

- 1 ...lower?
- 2 ...higher?
- 3 ...similar?
- 8 Don't know
- 9 No response

Filter 11

If Q8 = 1 → Q52

Else → Q54

Q52 Which do you use most often, an electronic cigarette (or vaping products) or regular cigarettes?

- 1 Electronic cigarette (or vaping products)
- 2 Regular cigarettes
- 3 I use an electronic cigarette as often as regular cigarettes
- 8 Don't know
- 9 No response

Source : Agence de la santé et des services sociaux de Montréal, *Enquête sur la cigarette électronique à Montréal*, 2014 (question adaptée par l'ISQ)

Q53 Which did you try first, regular cigarettes or an electronic cigarette (or vaping products)?

- 1 Electronic cigarette (or vaping products)
- 2 Regular cigarettes
- 8 Don't know
- 9 No response

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2020, question TAV_Q050 et *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question IU_Q05 (question adaptée par l'ISQ)

SECTION : Vaping cessation

Q54 In the **next 6 months**, are you seriously considering quitting vaping?

- 1 Yes
- 2 No → Go to Filter 12
- 8 Don't know → Go to Filter 12
- 9 No response → Go to Filter 12

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question SC_Q060 (question adaptée par l'ISQ).

Q55 In the **next 30 days**, are you seriously considering quitting vaping?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question SC_Q060 (question adaptée par l'ISQ).

Q56 Do you plan on using any of the following tools to help you quit vaping?

| | | Yes | No | Don't know | No response |
|-------------|--|-----|----|------------|-------------|
| Q56a | Pharmacological aids such as nicotine patches, nicotine gums (e.g., Nicorette), nicotine drops, Zyban, or Champix | 1 | 2 | 8 | 9 |
| Q56b | A visit to a health professional (doctor, nurse, pharmacist, etc.) | 1 | 2 | 8 | 9 |
| Q56c | A consultation with a professional from a smoking cessation centre (Smoking cessation centres are mostly found in CLSCs and offer free smoking cessation services on an individual or group basis) | 1 | 2 | 8 | 9 |
| Q56d | A telephone help line (e.g., the "I QUIT NOW" line) | 1 | 2 | 8 | 9 |
| Q56e | A website (e.g., www.iquitnow.qc.ca) | 1 | 2 | 8 | 9 |
| Q56f | A text messaging service (e.g., SMAT text help) | 1 | 2 | 8 | 9 |

Sources : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question TBC_Q45; *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, questions CM_Q20, CM_Q40, CM_Q43, CM_Q61 et Hammond et autres (2018), *Youth Tobacco and E-Cigarette Survey: Technical Report – Wave 1* (2017). University of Waterloo (questions adaptées par l'ISQ).

Filter 12

If Q31 = (2 or 8 or 9) OR Q33 = (2 or 8 or 9) → Q57

Else → P5

Q57 How likely are you to start vaping (Q31=(2 or 3 or 9))/go back to it (Q33=(2 or 8 or 9))?

- 1 Very likely
- 2 Likely
- 3 Unlikely
- 4 Very unlikely
- 8 Don't know
- 9 No response

SECTION : Exposure to second-hand tobacco smoke and to aerosol from vaping products

P5 The next questions are about exposure to second-hand smoke. This is the smoke exhaled by smokers or the smoke coming directly from a lit cigarette, cigar, cigarillo, pipe or water pipe. The aerosol (or vapour) from electronic cigarettes is not considered second-hand smoke.

Sources : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, EX_R010 (adapté par l'ISQ).

Q58 Is smoking allowed inside...

Q58a your home? (Home refers to the residence where you spend the most time. If you spend as much time in two or more residences, please consider the one where you received the invitation letter)

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Sources : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question ETS_Q015 et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question HS_Q40 (question adaptée par l'ISQ).

Q58b your family vehicle? (A family vehicle is the vehicle most often used to transport family members - family activities, commuting, school, errands, trips, etc)

- 1 Yes
- 2 No
- 7 I don't have a family vehicle
- 8 Don't know
- 9 No response

Sources : Institut national de santé publique du Québec, *Habitudes tabagiques des fumeurs québécois après l'interdiction de fumer visant certains lieux publics*, 2010 et Institut de la statistique du Québec, *Enquête sur les habitudes tabagiques des Québécois*, 2011 (question adaptée par l'ISQ).

Q59 In the **last 30 days**, how often were you exposed inside your home (Home refers to the residence where you spend the most time. If you spend as much time in two or more residences, please consider the one where you received the invitation letter) to second-hand smoke...

INSTRUCTIONS if Q8=1 : Please exclude the smoke you produce.

| | | Everyday | At least once a week, but not every day | Less than once a week, but at least once in the last 30 days | Never | Don't know | No response |
|-------------|--|----------|---|--|-------|------------|-------------|
| Q59a | [If Q58a = 1] from members of your household or visitors? | 1 | 2 | 3 | 4 | 8 | 9 |
| Q59b | from your neighbours, through windows, walls or hallways, for example? | 1 | 2 | 3 | 4 | 8 | 9 |

Sources : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question ETS_Q015 et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question EX_Q130 (questions inspirées et adaptées par l'ISQ).

Q59 In the **last 30 days**, how often were you exposed to **second-hand** tobacco smoke...

INSTRUCTIONS if Q8=1 : Please exclude the smoke you produce.

| | | Everyday | At least once a week, but not every day | Less than once a week, but at least once in the last 30 days | Never | Not applicable | Don't know | No response |
|------|---|----------|---|--|-------|----------------|------------|-------------|
| Q59c | inside a car or other private vehicle? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |
| Q59d | inside your workplace or school? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |
| Q59e | outside your workplace or school? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |
| Q59f | inside public places (bars, restaurants, theatres, etc.)? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |
| Q59g | outside or near public places such as in streets, parks, leaving a bar, etc.? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |

Sources : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question EX_Q130 (questions inspirées et adaptées par l'ISQ).

Filter 13

If Q58a = 1 → Q60

Else → Filter 14

Q60 The next questions are about restrictions on smoking cigarettes and other tobacco products in your home (Home refers to the residence where you spend the most time. If you spend as much time in two or more residences, please consider the one where you received the invitation letter). Is it allowed...

| | | Yes | No | Don't know | No response |
|------|--|-----|----|------------|-------------|
| Q60a | to smoke in the presence of children? | 1 | 2 | 8 | 9 |
| Q60b | to smoke in every room? | 1 | 2 | 8 | 9 |
| Q60c | to smoke, but only near open windows or under the stove fan? | 1 | 2 | 8 | 9 |

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2020, question ETS_Q025 (questions adaptées par l'ISQ).

Q60d Are there any other restrictions on the use of cigarettes and other tobacco products inside your home?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2020, question ETS_Q025 (question adaptée par l'ISQ).

Filter 14

If Q58b = 1 → Q61

Else → P6

Q61 The next questions are about restrictions on smoking cigarettes and other tobacco products inside your family vehicle (A family vehicle is the vehicle most often used to transport family members (family activities, commuting, school, errands, trips, etc.)). Is it allowed...

| | | Yes | No | Don't know | No response |
|-------------|--|-----|----|------------|-------------|
| Q61a | to smoke in the presence of children? | 1 | 2 | 8 | 9 |
| Q61b | to smoke, but only if the driver is alone? | 1 | 2 | 8 | 9 |
| Q61c | to smoke, but only if the window is down? | 1 | 2 | 8 | 9 |

Sources : Institut national de santé publique du Québec, *Habitudes tabagiques des fumeurs québécois après l'interdiction de fumer visant certains lieux publics*, 2010 et Institut de la statistique du Québec, *Enquête sur les habitudes tabagiques des Québécois*, 2011 (questions adaptées par l'ISQ).

Q61d Are there any other restrictions on smoking cigarettes or other tobacco products inside your family vehicle?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Source : Institut de la statistique du Québec, *Enquête sur les habitudes tabagiques des Québécois*, 2011 (question adaptée par l'ISQ).

P6 The next questions focus on exposure to the aerosol (or vapour) from electronic cigarettes or vaping products.

Q62 Is vaping or using electronic cigarettes allowed inside...

Q62a your home? (Home refers to the residence where you spend the most time. If you spend as much time in two or more residences, please consider the one where you received the invitation letter)

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Sources : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question ETS_Q015 et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question HS_Q40 (question adaptée par l'ISQ).

Q62b your family vehicle? (A family vehicle is the vehicle most often used to transport family members - family activities, commuting, school, errands, trips, etc.)

- 1 Yes
- 2 No
- 7 I don't have a family vehicle
- 8 Don't know
- 9 No response

Sources : Institut national de santé publique du Québec, *Habitudes tabagiques des fumeurs québécois après l'interdiction de fumer visant certains lieux publics*, 2010 et Institut de la statistique du Québec, *Enquête sur les habitudes tabagiques des Québécois*, 2011 (question adaptée par l'ISQ).

Q63 In the **last 30 days**, how often were you exposed inside your home (Home refers to the residence where you spend the most time. If you spend as much time in two or more residences, please consider the one where you received the invitation letter) to aerosol (or vapour) from electronic cigarettes (or vaping products)...

| | | Everyday | At least once a week, but not every day | Less than once a week, but at least once in the last 30 days | Never | Don't know | No response |
|-------------|---|----------|---|--|-------|------------|-------------|
| Q63a | [if Q62a=1] from members of your household or visitors? | 1 | 2 | 3 | 4 | 8 | 9 |
| Q63b | from neighbours, through windows, walls or hallways, for example? | 1 | 2 | 3 | 4 | 8 | 9 |

Sources : *Enquête sur la santé dans les collectivités* (ESCC), 2019, question ETS_Q015 et *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, question EX_Q130 (questions inspirées et adaptées par l'ISQ).

Q63 In the **last 30 days**, how often were you exposed to **second-hand** aerosol (or vapour) from electronic cigarettes (or vaping products)...

| | | Everyday | At least once a week, but not every day | Less than once a week, but at least once in the last 30 days | Never | Not applicable | Don't know | No response |
|-------------|---|----------|---|--|-------|----------------|------------|-------------|
| Q63c | inside a car or other private vehicle? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |
| Q63d | inside your workplace or school? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |
| Q63e | outside your workplace or school? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |
| Q63f | inside public places? (bars, restaurants, theatres, etc.) | 1 | 2 | 3 | 4 | 7 | 8 | 9 |
| Q63g | outside or near public places such as in streets, parks, leaving a bar, etc.? | 1 | 2 | 3 | 4 | 7 | 8 | 9 |

Sources : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, EX_Q130 (questions inspirées et adaptées par l'ISQ).

Filter 15

If Q62a = 1 → Q64

Else → Filter 16

Q64 The next questions are about restrictions on vaping (or using an electronic cigarette) inside your home (Home refers to the residence where you spend the most time. If you spend as much time in two or more residences, please consider the one where you received the invitation letter). Is it allowed...

| | | Yes | No | Don't know | No response |
|-------------|---|-----|----|------------|-------------|
| Q64a | to vape in the presence of children? | 1 | 2 | 8 | 9 |
| Q64b | to vape in every room? | 1 | 2 | 8 | 9 |
| Q64c | to vape, but only near open windows or under the stove fan? | 1 | 2 | 8 | 9 |

Source : *Enquête sur la santé dans les collectivités* (ESCC), 2020, question ETS_Q025 (questions adaptées par l'ISQ).

Q64d Are there any other restrictions on vaping inside your home?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Filter 16

If Q62b = 1 → Q65

Else → P7

Q65 The next few questions are about restrictions on vaping inside your family vehicle (A family vehicle is the vehicle most often used to transport family members (family activities, commuting, school, errands, trips, etc.)). Is it allowed...

| | | Yes | No | Don't know | No response |
|-------------|---|-----|----|------------|-------------|
| Q65a | to vape in the presence of children? | 1 | 2 | 8 | 9 |
| Q65b | to vape, but only if the driver is alone? | 1 | 2 | 8 | 9 |
| Q65c | to vape, but only with the window down? | 1 | 2 | 8 | 9 |

Sources : Institut national de santé publique du Québec, *Habitudes tabagiques des fumeurs québécois après l'interdiction de fumer visant certains lieux publics*, 2010 et Institut de la statistique du Québec, *Enquête sur les habitudes tabagiques des Québécois*, 2011 (questions adaptées par l'ISQ).

Q65d Are there any other restrictions on vaping in your family vehicle?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Source : Institut de la statistique du Québec, *Enquête sur les habitudes tabagiques des Québécois*, 2011 (question adaptée par l'ISQ).

SECTION : Cannabis

P7 The next questions focus on cannabis smoked for recreational or medical purposes. The term "cannabis" refers to marijuana, pot, or hashish. These questions include cannabis smoked in a joint, bong or pipe. They do not include cannabis that is vaped, vaporized, dabbed or consumed in food or drinks.

Source : *Enquête canadienne sur le tabac, l'alcool et les drogues* (ECTAD), 2017, CAN_R010 (adapté par l'ISQ).

Q66 Have you ever smoked cannabis?

- 1 Yes
- 2 No
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question CAN_Q05A.

Q67 In the **last 30 days**, how often have you smoked cannabis?

- 1 Everyday
- 2 At least once a week, but not every day
- 3 Less than once a week, but at least once in the last 30 days
- 4 Never → Go to P8
- 8 Don't know → Go to P8
- 9 No response → Go to P8

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question CAN_Q10A (question adaptée par l'ISQ).

Q68 In the **last 30 days**, how often have you smoked a combination of cannabis and tobacco?

- 1 Everyday
- 2 At least once a week, but not every day
- 3 Less than once a week, but at least once in the last 30 days
- 4 Never
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question CAN_Q15A (question adaptée par l'ISQ).

P8 The next questions are about vaping cannabis (Cannabis vaping is the inhalation of an aerosol (or vapour) produced by a device that heats a liquid containing cannabinoids (THC or CBD) and diluents. It does not include dabbing.)

Source : Ministère de la Santé et des Services sociaux (2019, mise à jour le 20 novembre), Mise en garde contre le vapotage de cannabis [En ligne] [www.msss.gouv.qc.ca/professionnels/tabagisme-et-vapotage/vapotage/mise-en-garde-contre-le-vapotage-de-cannabis/] (adapté par l'ISQ).

Q69 Have you ever vaped cannabis?

- 1 Yes
- 2 No → Go to P9
- 8 Don't know → Go to P9
- 9 No response → Go to P9

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question CAN_Q20A.

Q70 In the **last 30 days**, how often have you vaped cannabis?

- 1 Everyday
- 2 At least once a week, but not every day
- 3 Less than once a week, but at least once in the last 30 days
- 4 Never
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question CAN_Q25A (question adaptée par l'ISQ).

SECTION : Alcohol

P9 The next question is about your alcohol consumption.

Q71 In the **last 30 days**, how often did you drink alcoholic beverages?

- 1 Everyday
- 2 At least once a week, but not every day
- 3 Less than once a week, but at least once in the last 30 days
- 4 Never
- 8 Don't know
- 9 No response

Source : *Enquête canadienne sur le tabac et la nicotine* (ECTN), 2019, question ALC_Q05 (question adaptée par l'ISQ).

SECTION: Sociodemographic characteristics

P10 The next few questions are about general information on you and your household that will help us better understand the survey results.

Q72 Were you born in Canada?

- 1 Yes → Go to Q74
- 2 No
- 8 Don't know → Go to Q74
- 9 No response → Go to Q74

Q73 How many years have you lived in Canada?

- 1 Less than 5 years
- 2 5 to 10 years
- 3 More than 10 years
- 8 Don't know
- 9 No response

Q74 What language do you speak most often at home?

INSTRUCTIONS : if you speak two languages equally as often, check both choices.

- 1 French
- 2 English
- 3 Other
- 8 Don't know
- 9 No response

Q75 Including yourself, how many people live in your household in total?

INSTRUCTIONS : Include all people living at least 40% of the time in your household.

_____ [Min = 1; Max = 20]

- 998 Don't know
- 999 No response

Filter 17

If Q75 > 1 → Q76

Else → Q77

Q76 Which situation best reflects the composition of your household?

- 1 Person living alone [Choice not displayed if Q75 =1]
- 2 Couple without children living at home [Choice not displayed if Q75 >=3]
- 3 Couple with a child (or children) living at home (children of any age) [Choice not displayed if Q75=2]
- 4 Single-parent family (children of any age)
- 5 Family members and other people [Choice not displayed if Q75 =2]
- 6 Relatives only (brothers and sisters, etc.)
- 7 Unrelated people only (roommates)
- 97 Other (multiple families, etc.)
- 98 Don't know
- 99 No response

Q77 Including yourself, how many people in your household...

Q77a smoke regular cigarettes?

_____ [Min = 0; Max = 20]

998 Don't know

999 No response

Q77b vape or use an electronic cigarette?

_____ [Min = 0; Max = 20]

998 Don't know

999 No response

Q78 What is the highest level of education you've completed?

INSTRUCTIONS : *If you have a degree or diploma from another country, choose its equivalent in the Québec school system.*

- 1 Elementary education or less (7th grade or less)
- 2 Partial high school education (8th, 9th, 10th or 11th Grade, incomplete classical education/Rudiments of Latin, Syntax, Method, Versification)
- 3 High school diploma (12th Grade, incomplete classical education/Literature, Rhetoric, Philosophy I)
- 4 Trade school or vocational school diploma
- 5 Business college diploma
- 6 CEGEP diploma (completed classical education/Philosophy II/Bachelor of arts/Normal School)
- 7 Undergraduate diploma or degree (certificate, minor, major, bachelor's degree)
- 8 Master's degree, Ph.D., graduate diploma
- 9 Other
- 98 Don't know
- 99 No response

Q79 Which statement best describes your current main occupation?

- 1 Full-time employee or self-employed ("Full-time" means **at least** 30 hours per week)
- 2 Part-time employee or self-employed (**less than** 30 hours per week)
- 3 Student
- 4 Retired
- 5 At home
- 6 On maternity or paternity leave
- 7 Receiving Employment Insurance benefits
- 8 On social assistance
- 9 On disability or sick leave
- 10 Receiving Canada Emergency Response Benefit (CERB)
- 11 Receiving Canada Emergency Student Benefit (CESB)
- 97 Other
- 98 Don't know
- 99 No response

Q80A For the **last 12 months**, what was the approximate total income of all household members from all sources, before taxes and other deductions?

Don't forget to include all amounts, including Canada child benefits, investment income, etc. This information will be used to draw a portrait of groups of people with similar income, and then make comparisons between various groups.

\$_____ [Min=1; Max=9999997] → Go to Q81A
9999998 Don't know
9999999 No response

Q80B Without disclosing the exact amount, in which of the following category would you say your family's annual income is?

- 1 Less than \$10,000
- 2 Between \$10,000 and less than \$20,000 → Go to Q80C
- 3 Between \$20,000 and less than \$30,000 → Go to Q80D
- 4 Between \$30,000 and less than \$40,000 → Go to Q80E
- 5 Between \$40,000 and less than \$50,000
- 6 Between \$50,000 and less than \$60,000
- 7 Between \$60,000 and less than \$80,000
- 8 Between \$80,000 and less than \$100,000
- 9 Between \$100,000 and less than \$120,000
- 10 Between \$120,000 and less than \$140,000
- 11 \$140,000 and up
- 98 Don't know
- 99 No response

Q80C Is your household income over \$15,000?

- 1 Yes → Go to Q81A
- 2 No → Go to Q81A
- 8 Don't know → Go to Q81A
- 9 No response → Go to Q81A

Q80D Is your household income over \$25,000?

- 1 Yes → Go to Q81A
- 2 No → Go to Q81A
- 8 Don't know → Go to Q81A
- 9 No response → Go to Q81A

Q80E Is your household income over \$35,000?

- 1 Yes → Go to Q81A
- 2 No → Go to Q81A
- 8 Don't know → Go to Q81A
- 9 No response → Go to Q81A

Q81A Is your postal code <CPP >? This information is required for regional analysis purposes.

- 1 Yes
- 2 No → Go to Q81CP
- 8 Don't know → Go to Q81CP
- 9 No response → Go to Q81CP

Q81CP What's your postal code?

-
- A8A8A8 Don't know → Go to Q81B
 - A9A9A9 No response → Go to Q81B

Q81B What are the first three characters of your postal code?

-
- Respondent cannot or refuses to give the first three characters of postal code:
- A8A Don't know
 - A9A No response